





New items inside - Check page 9



Products for Production Toner Presses, Laser Printers and Copiers	Page
DiversiPrint [®] Papers	3
DiversiPrint [®] Cover-ups	3
DiversiPrint [®] Films & Specialty	4
Dual Purpose Films	6
	-
Products for Ink Jet Printers	
DiversiPrint [®] Papers	3
Products for HP Indigo[®] Digital Presses	
Digi [™] Papers	7
Digi Fapers Digi™ Cover-ups	7
Dual Purpose Films	6
	ů.
Multi-Purpose Die Cut Labels	
Uncoated	
Rectangles/ Squares 81/2 x 11	9
Circles 8½ x 11	9
CD/DVD 81/2 x 11	9
Removable Circles	
Ultra Matte 81/2 x 11	10
White Digital Vinyl 12 x 18	10
Specialty Applications	
Auto Window Sticker 81/2 x 11	10
Name Badge 8½ x 11	10
Door Seals 12 x 18	10
Custom Capabilities	
Full Sheet Digital Express Program	8
Multi-Purpose die cut labels	11
Fechnical Data	
Multi-Purpose die cut labels	12
Production toner, laser printers and copiers	5
Avery [®] Locar Printoble Lobels $91/\times 11$	
Avery [®] Laser Printable Labels 8 ¹ / ₂ x 11 White Easy Peel [®] Laser Labels	13
White Multipurpose Labels	13
White Multipurpose Labels White Shipping Labels w/TrueBlock [®]	13
White Flexible Name Badges	13
Name Badge Inserts Microperfed	13
Brought to you by Spinnaker Coating	

Advantedge Technology, Digi, DiversiPrint, Stri-Tac and Ultra Matte are trademarks of Spinnaker Coating, LLC. Astrobrights and the Astrobrights colors are trademarks of Neenah Paper Inc. Finch Fine is a registered trademark of Finch Paper LLC. HP and Indigo are trademarks of Hewlett-Packard Development Company, L.P. Kodak and NexPress are trademarks of Eastman Kodak Company. Avery, Easy Peel and TrueBlock are registered trademarks of Avery Dennison Corporation. Teslin is a registered trademark of PPG Industries.



Paper Pr	oducts for	Production Te	oner, Laser P				
Spinnaker stock #	sheet size	liner	adhesive	inner carton packaging	sheets per carton		features
DiversiPrin	t [®] 60# Gloss						
0002130	8.5 x 11	58# Scored	Permanent	100 box	1000	26#	A cast coated face stock with a mirror
0044500	12 x 18	58# Scored	Permanent	100 wrap	200	12#	finish for superb print reproduction.
0002128	12 x 18	58# Scored	Permanent	100 wrap	500	30#	Permanent is Kodak NexPress
0044638	12 x 18	58# 0 Split	Permanent	100 wrap	200	12#	approved. Removable is pending
0044501	12 x 18	58# Scored	Removable	100 wrap	200	12#	certification.
0048700	13 x 19	58# Scored	Permanent	100 wrap	200	16#	Brightness: 87 Opacity: 90
							Caliper: 8.1 mil GSM: Perm 198 / Rem 209
DiversiPrin	t [®] 55# Semi Gl	loss					
0043957	12 x 18	58# Scored	Permanent	100 wrap	200	12#	An archival quality, semi gloss finish
0049038	12 x 18	58# 0 Split	Permanent	100 wrap	200	12#	stock for superb print reproduction
							Brightness: 89 Opacity: 87
							Caliper: 7.0 mil GSM: 193
DiversiPrin	t [®] 60# Ultra Ma	atte [™]					
0002133	8.5 x 11	58# Scored	Permanent	100 box	1000	26#	A premium, C1S matte paper featuring
0044502	12 x 18	58# Scored	Permanent	100 wrap	200	12#	superior print surface and smudge resistance.
0002131	12 x 18	58# Scored	Permanent	100 wrap	500	30#	resistance.
0049041	12 x 18	58# 0 Split	Permanent	100 wrap	200	12#	Brightness: 89 Opacity: 91
0044503	12 x 18	58# Scored	Removable	100 wrap	200	12#	Caliper: 8.3 mil
							GSM: Perm 202 / Rem 213
DiversiPrin	t [®] 60# Bright V	Vhite					Also suitable for Ink Jet Printing
0002135	8.5 x 11	58# Scored	Permanent	100 box	1000	26#	A premium bright white offset offering
0002531	8.5 x 11	58# 0 Split	Permanent	100 box	1000	26#	excellent contrast and ink receptivity.
0044504	12 x 18	58# Scored	Permanent	100 wrap	200	12#	
0002134	12 x 18	58# Scored	Permanent	100 wrap	500	30#	
0044505	12 x 18	58# 0 Split	Permanent	100 wrap	200	12#	PCW Content: 10%
0002529	12 x 18	58# 0 Split	Permanent	100 wrap	200 500	30#	
0002329	12 x 18 13 x 19	58# Copin 58# Scored	Permanent	100 wrap	200	30# 16#	Brightness: 98 Opacity: 93 Caliper: 9.0 mil GSM: 202
0040701	10 × 15		i omanoni	100 widp	200	10	
DiversiPrin	t [®] 60# Gloss C	over-up					
0044506	12 x 18	58# Scored	Permanent	100 wrap	200	12#	This cast coated face stock has a mirror
							finish and an added barrier coat making this sheet ideal for cover-up applications or when increased opacity is required.
							Brightness: 80 Opacity:>98
DiversiPrin	t [®] 60# Lilitra Ma	atte [™] Cover-up					Caliper: 8.3 mil GSM: 206
0044507	12 x 18	58# Scored	Permanent	100 wrap	200	12#	A C1S matte face stock. The added
0044307	12 x 10	30# 300reu	remanent	Too wap	200	12#	barrier coat makes this sheet ideal for cover-up applications or when increased opacity is required.
							Brightness: 83 Opacity:>98 Caliper: 8.3 mil GSM: 210



	ducts for P	roduction To	ner, Laser Pri				
Spinnaker stock #	sheet size	liner	adhesive	inner carton packaging	sheets per carton	carton weight	features
DiversiPrint	[®] Gloss White	e Laser Polyester					
0048321	12 x 18	50# 0 Split	Permanent	100 wrap	200	12#	A 2.0 mil top-coated, gloss white polyester film featuring excellent laser print quality, toner adhesion and durability. This product is also suitable for desktop printers. Edges are stripped to reduce adhesive contamination.
							Caliper: 6.0 mil GSM: 179
DiversiPrint	[®] Matte White	Laser Polyester					
0045955	12 x 18	50# 0 Split	Permanent	100 wrap	200	12#	A 2.5 mil top-coated, matte white polyester film featuring excellent laser print quality, toner adhesion and durability. Also suitable for desktop printers. Edges are stripped to reduce adhesive contamination.
							Caliper: 6.5 mil GSM: Perm 183
DiversiPrint	[®] Gloss Clear	Laser Polyester					L
0044827	12 x 18	50# 0 Split	Permanent	100 wrap	200		A 2.0 mil top-coated, gloss clear polyester film featuring excellent laser print quality, toner adhesion and durability. Also suitable for desktop printers. Edges are stripped to reduce adhesive contamination.
							Caliper: 6.0 mil GSM: 185
Specialty	Products	for Productio	n Tonar Pres	ses and La	ser Prij	nters 🕨	
Spinnaker				inner carton	sheets per		
stock #	sheet size [®] Digital Satir	liner Cloth	adhesive	packaging	carton	carton weight	features
0045709	12 x 18	80# Scored	Permanent	100 wrap	200	13#	Bright white rayon/acetate cloth typicall
							used for name badge labels featuring a special top-coat for digital printing. Fabric count: Warp 192 and Fill 50
							Caliper: 11.6 mil GSM: 262



Technical Data - Diversiprint

Technical Data for Printing DiversiPrint[®] Pressure Sensitive for Production Toner Presses, Laser Printers, and Copiers

Paper Products

Laser printing after offset printing:

• For best laser processing results, after offset printing immediately package printed stock in a moisture barrier wrap

Desktop and mid-range laser printers:

- Feed through manual feed tray
- Use "heavy paper" setting or set to proper GSM for best toner anchorage

High-speed laser printers:

- For best feeding results, use the belt/friction feed loading tray and the top delivery tray
- Use the appropriate GSM setting for best toner anchorage and feeding

Film Products

- For best toner anchorage, use appropriate GSM or thickness setting. In some printers, "heavyweight" is the correct setting
- When printing clear, choose the "white" setting as the printer will recognize the liner
- Use the maximum amount of static elimination
- If a jam occurs, turn the sheets so that the opposite edge becomes the feed edge as the jam may have been caused by a bent corner



stock #	sheet size	liner	adhesive	packaging	carton	carton weigh	t features
Mil Digita	al Teslin [®]						
0044932	12 x 18	80# Scored	Permanent	100 wrap	200	16#	Synthetic stock providing excellent printability and durability. Permanent items are ideal for menus, maps and banners. The removable item is ideal for cooler labels. Caliper: 12.2 mil
							GSM: Perm 250
\A/I-:-	- Distict Visual						
	e Digital Vinyl	00// 0		100	000	10.11	
0045512	12 x 18	80# Scored	Permanent	100 wrap	200	18#	A 3.4 mil topcoated vinyl engineered HP Indigo, production toner presses
0045511	12 x 18	80# 0 Split	Permanent	100 wrap	200	18#	high-speed and mid-range laser pr Not recommended for desktop prir
0045510	12 x 18	80# Scored	Ultra Removable	100 wrap	200	18#	
0045509	12 x 18	80# 0 Split	Ultra Removable	100 wrap	200	18#	
0046759	13 x 19	80# Scored	Permanent	100 wrap	200	20#	
0046760	13 x 19	80# Scored	Ultra Removable	100 wrap	200	20#	Caliper: Perm 8.9 mil / Rem 8.8 mil
0047675	29.5 x 20.5	80# Scored	Permanent	100 Wrap	200	49#	GSM: Perm 273 / Rem 270
0047672	29.5 x 20.5	80# Scored	Ultra Removable	100 wrap	200	49#	
latte Clea	r Digital Vinyl						
0045508	12 x 18	80# 0 Split	Permanent	100 wrap	200	18#	A 3.5 mil topcoated vinyl engineered
0045505	12 x 18	80# 0 Split	Ultra Removable	100 wrap	200	18#	HP Indigo, production toner presses
0046761	13 x 19	80# 0 Split	Permanent	100 wrap	200	20#	high-speed and mid-range laser print Not recommended for desktop print
0046762 13 x 19	13 x 19	80# 0 Split	Ultra Removable	100 wrap	200	20#	
							Caliper: Perm 9.0 mil / Rem 8.9 mil GSM: Perm 264 / Rem 261



Certified for **HP Indigo**

Refer to HP Indigo printer settings matrix on website for certification with model number.

*Independent testing was performed at the Printing Application Laboratory at Rochester Institute of Technology.



Paper Products for HP Indigo Digital Presses

Premium Pressure Sensitive Sheets Customer Support Phone: 800-543-9452 Technical Support Phone: 877-210-5104 www.spinps.com

Spinnaker	baucts for HF	P Indigo Digital	Presses >	inner carton	sheets per		
stock #	sheet size	liner	adhesive	packaging	carton	carton weight	features
Digi [™] Glos	s Optimized fo	or HP Indigo					
0044508	12 x 18	80# Scored	Permanent	100 wrap	200	14#	A 60# cast coated paper stock with a
0009799	12 x 18	80# Scored	Permanent	100 wrap	500	36#	mirror finish which is optimized for HP
0044639	12 x 18	80# 0 Split	Permanent	100 wrap	200	14#	Indigo.
0044509	13 x 19	80# Scored	Permanent	100 wrap	200	16#	Brightness: 84 Opacity: 90
0047524	29.5 x 20.5	80# Scored	Permanent	100 wrap	200	44#	Caliper: 9.0 mil GSM: 223
Digi [™] Semi	Gloss						
0044510	12 x 18	80# Scored	Permanent	100 wrap	200	14#	A HP Indigo 55# semi-gloss facestock.
0045684	13 x 19	80# Scored	Permanent	100 wrap	200	16#	
							Brightness: 87 Opacity: 89 Caliper: 8.4 mil GSM:220
Digi [™] Matte	2						
0044511	12 x 18	80# Scored	Permanent	100 wrap	200	14#	A 60# C1S matte finish paper suitable
0009801	12 x 18	80# Scored	Permanent	100 wrap	500	36#	for HP Indigo.
0049039	12 x 18	80# 0 Split	Permanent	100 wrap	200	14#	
0045687	12 x 18	80# Scored	Removable	100 wrap	200	14#	
0044512	13 x 19	80# Scored	Permanent	100 wrap	200	16#	Brightness: 89 Opacity: 91
0047521	29.5 x 20.5	80# Scored	Permanent	100 wrap	200	44#	Caliper: 9.1 mil
							GSM: Perm 221 / Rem 238
Digi [™] Uncc	ated Finch Fir	ne [®] iD					
0044513	12 x 18	80# Scored	Permanent	100 wrap	200	14#	A HP Indigo ready bright-white 60#
0043099	12 x 18	80# Scored	Permanent	100 wrap	500	36#	uncoated face stock.
0044640	12 x 18	80# 0 Split	Permanent	100 wrap	200	14#	PCW Content: 10%
0045683	13 x 19	80# Scored	Permanent	100 wrap	200	16#	Brightness: 98 Opacity: 90 Caliper: 9.2 mil GSM: 227
Diai [™] 8 nt 1	Fag Optimized	for HP Indigo					
0044514	12 x 18	80# Scored	Permanent	100 wrap	200	20#	A HP Indigo optimized 8 pt tag
							Brightness: 89 Opacity: 94
	• • •						Caliper: 13.2 mil GSM: 320
0044515	s Cover-up Op 12 x 18	timized for HP Inc 80# Scored	Permanent	100 wrap	200	14#	An optimized 60# cast coated paper
0044313	12 × 10	our Scored	Fernianen	Too wap	200	14#	stock with a mirror finish. This version has the added barrier coat for increase opacity.
							Brightness: 79 Opacity: >98
							Caliper: 9.1 mil GSM:232
_	Cover-up			100			A 60# C1S matte finish paper suitable
0044516	12 x 18	80# Scored	Permanent	100 wrap	200	14#	for HP Indigo which has the added barrier coat for increased opacity.
							Brightness: 83 Opacity: >98 Caliper: 9.2 mil GSM: 231

Certified for **HP Indigo**

Refer to HP Indigo printer settings matrix on website for certification with model number.

*Independent testing was performed at the Printing Application Laboratory at Rochester Institute of Technology.



Full Sheet Digital Express Program 🕨

In need of sizes not stocked in the standard digital line? Are standard sizes not working for the best label layout or optimum press efficiency? Does your customer require a standard size but prefers bulk packaging due to the quantity involved?

Let us help you with our Full Sheet Digital Express Program

When non-stocking digital sheet sizes are needed for maximum press efficiency, use the Full Sheet Digital Express Program.

Products: all stock constructions listed in this Digital Catalog qualify

- · Papers & Films for Toner or HP Indigo printing
- · Permanent, Removable (Ultra-Removable for films) and Cover-ups
- · HP Indigo certified substrates
- Toner products successfully tested in several leading printers, including but not limited to: KODAK NEXPRESS, Xerox DocuColor and iGen Series, Canon and Konica Minolta

Sizes: 8 1/2 x 11, 8 1/2 x 14, 11 x 17, 12 x 18, 13 x 19 and 14 x 20 sheet sizes*

Packaging: bulk packed in cartons

Order/Freight: Minimum: 1,000 sheets/ Maximum: 10,000 sheets*

Leadtime: ships in 2 - 5 business days

* Larger quantities and additional digital sizes are available but may have a longer leadtime

Technical Support ►

Questioning which construction works in your digital equipment? Not sure which product is recommended for the application? Need additional printing tips for a specific printer?

Spinnaker's **Technical Consulting** Group is ready to answer your questions...... call 877-210-5104 for assistance.



Avery

template ref

5165™

features

Adhesive suitable for guillotine cutting

Multi-Purpose Die Cut Labels - Uncoated > Spinnakei stock # inner carton sheets per labels per sheet Spinnaker mfg # label size packaging carton 96 Bright White/ Permanent 81/2 x 11 0080649 S4401A 8 1/2 x 11 1 100 box 1000

S4402•	0080102	2	8 1/2 x 5 1/2	100 box	1000		An opaque sheet suitable for multiple
S4304	0080104	4	4 x 5	100 box	1000		digital print technologies, including
S4504	0080106	4	3 1/2 x 5	100 box	1000	5168™	laser, copier and ink jet; manufactured with an aggressive permanent adhesive
S4704	0080268	4	3 x 5	100 box	1000		and 35# layflat liner.
S4404•	0080270	4	4 1/4 x 5 1/2	100 box	1000		
S4306	0080107	6	4 x 3 1/3	100 box	1000	5164™	
S4306BK	0083535 NEW	6	4 x 3 1/3	250 bag	1000	5164™	
S4308	0080111	8	4 x 2 1/2	100 box	1000		
S4408•	0080309	8	4 1/4 x 2 3/4	100 box	1000		
S4310	0080112	10	4 x 2	100 box	1000	5163™	Opacity: 92
S4310BK	0083536 NEW	10	4 x 2	250 bag	1000	5163™	Brightness: 96
S4512	0080265	12	2 x 3	100 box	1000		Caliper: 6.9 mil
S4314	0080115	14	4 x 1 1/3	100 box	1000	5162™	GSM: 159
S4320 ¹	0080116	20	4 x 1	100 box	1000	5161™	
S4330 ²	0080118	30	2 5/8 x 1	100 box	1000	5160™	All labels on this page (except S4401A)
S4330BK ²	0083534 NEW	30	2 5/8 x 1	250 bag	1000	5160™	are manufactured with Spinnaker's
S4350	0080310	50	1 1/2 x 1	100 box	1000		Advantedge Technology [®] , a unique
S4380	0080122	80	1 3/4 x 1/2	100 box	1000	5167™	manufacturing process by which the outer 1/16" edge of the 8 1/2 x 11 sheet
							is adhesive-free. This virtually
							eliminates the risk of adhesive ooze
							and contamination in digital equipment.
Circles							
S4106	0080271	6	3 1/3 Circles	100 box	1000		
S4012	0080218	12	2 1/2 Circles	100 box	1000	5294™	
S4420	0080345	20	2 Circles	100 box	1000	0204	Adhestve
S4024	0080273	24	1 2/3 Circles	100 box	1000	5293™	No Adhestve
S4024 S4030	0080274	30	1 1/2 Circles	100 box	1000	0200	
S4063	0082775	63	1 Circles	100 box	1000		
S4003 S4120	0080755	120	3/4 Circles	100 box	1000		
54120	0000755	120	3/4 CITCIES	100 00x	1000		
CD/DVD La	hels						
S4602	0080123	2	4 5/8 CD/DVD	100 box	1000		
0.002		-					

¹Indicates 1 vertical perf

²Indicates 2 vertical perfs

• Indicates butt cut layout

All 100 box items on this page are sold in 100 sheet increments

Templates available at www,spinps.com



	pose Die C	ut Labels - R	emovable Cire				
Spinnaker stock #	Spinnaker mfg #	labels per sheet	label size	inner carton packaging	sheets per carton	Avery [®] template ref	features
60# Ultra Ma	atte™/ Removal	ble 8½ x 11					
	0083455 0083456	6 20	3 1/3 Circles 2 Circles	100 box 100 box	1000 1000		A premium, C1S matte paper featuring superior smudge resistance, high brightness & opacity suitable for laser/ dry toner and HP Indigo print technologies
							Brightness: 89 Opacity: 91 Caliper: 8.1 mil GSM: 213
Matte White	Digital Vinyl/	Ultra-Removable	e 12 x 18				
	0083454	6	5 1/2 Circles	100 wrap	200		A 3.4 mil topcoated vinyl engineered for HP Indigo, production toner presses & high-speed and mid-range laser printers. Not recommended for desktop printers.
							Caliper: 8.8 mil GSM: 270
Multi-Pur Spinnaker	pose Die C	ut Labels - S	pecialty Appli	cations	sheets per	Avery	
stock #	Spinnaker mfg #	labels per sheet	label size	packaging	carton	template ref	features
Auto Windo	w Sticker — 50)# Uncoated wit	h liner die cut 81/2	x 11			
S4801RC	0080539	1	8 x 10	100 box	1000		This facestock is part of a construction in which the liner is printed, picture frame matrix removed and the label applied to the inside of an auto window. The face becomes a carrier in this application and is typically not printed. However, this stock is a bright white, uncoated paper suitable for production toner, laser printers/copiers.
News Dedu	- 504 DW H		- De das e dissetas	141	F0 1/		Caliper: 7.4 mil GSM:171
S4508B		ncoated / Acrylic	c Badge adhesive 3 3/8 x 2 1/3	100 box	1000	11 5395™	This bright white uncoated sheet is
343000	0080349	o	3 5/6 x 2 1/3	100 DOX	1000	0090 ····	suitable for a wide variety of digital print technologies, including laser and ink jet construciton suitable for short-term name badge applications
							Brightness: 93 Opacity: 88 Caliper: 6.6 mil GSM: 152
Door Seals	— 60# Ultra <u>M</u> a	atte™ / Removab	le adhesive 12 x ⁻	18			
	0083439	10	5 1/2 x 3	100 wrap	200		Matte facestock which is part of a unique construction that will adhere to the door when closed and tear easily when the door is opened while still removing after the guest enters the room. The construction will print on offset, dry toner and HP Indigo presses.
							Brightness: 89 Opacity: 91 Caliper: 8.1 mil GSM: 213

All 8 1/2 x 11 items on this page are sold in 100 sheet box increments

Templates available at www.spinps.com



Adhesive-free Edge Die-cut Custom Capabilities for 81/2 x 11 Sheet Size

Facestocks

96 Bright White Uncoated Laser Gloss - High gloss finish Fluorescents - Red, Green, Orange, Chartreuse and Pink Astrobrights[®] - Stock colors; contact Customer Support for color availability Natural Cream Ultra Matte[™] Litho

Order & Freight Minimum

Quantity: 1,000 sheets

Custom Lead-times

3 -10 business days after die approval based on quantity & die availability

Custom Packaging

Bulk carton packed: 250 sheets per bag/ 1,000 sheets per carton

Custom Capabilities for Digital Sizes

Constructions

Stocks for production toner, laser printers or HP Indigo digital presses Papers from high gloss to offset finishes

> Films including white & clear vinyls and 7 mil Teslin® Permanent, removable, ultra-removable & cover-up products

All stocking constructions in this catalog are available

Sizes Available Include

 $8\frac{1}{2}$ x 11, $8\frac{1}{2}$ x 14, 11 x 17, 12 x 18, 13 x 19 and 14 x 20

Order & Freight Minimum

As low as 1,000 sheets, depending on construction

Custom Lead-times

3 -10 business days after die approval

Custom Packaging

Bulk carton packed

All Custom Die-cut Labels

No Die-charge

Will not receive a separate die charge

Perforations

Face and/or liner perforations available

Assistance

Spinnaker Coating can easily create custom die patterns - contact Customer Support for additional information



Die Cut Laser Label Tips and Guidelines

Label Formatting

Follow printer software guidelines for formatting label data. See Spinnaker's website at www.spinps.com for label templates. Labels are also compatible with Avery Label Pro and other popular software. For cross reference, select the layout code that corresponds with the Spinnaker label. If no label is found, use the Spinnaker measurements to create a new label.

Fanning

Select the desired number of label sheets and gently fan the edges to reduce static electricity. If curl is evident, manually bend and flatten the sheets before loading.

Loading and Printing

Consult the owner's manual to determine the proper placement of labels in the feed tray. It is acceptable to place the labels directly on top of the paper that may be in the tray. Do not exceed the recommended number of sheets. For best toner anchorage and processing, ensure printer settings reflect proper weight. Proceed to make copies as if printing paper. Reference GSM for printer settings.

Caring for unused labels

Place any unused sheets from the paper tray into the protective plastic bag and store in a cool, dry environment.

Cautions

Do not run label stock through the printer twice. Should a jam appear, locate the jammed sheet and remove it before restarting the printer. Products made with Advantedge Technology[®] adhesive are not recommended for guillotine applications.



Contact Spinnaker Coating for all your pressure sensitive needs Customer Support Phone: 800-543-9452 Technical Support Phone: 877-210-5104 www.spinps.com

Brought to you by Spinnaker Coating

stock #	Spinnaker System #	labels per sheet	label size	adhesive	carton wt	inner carton packaging	packs per carton/ sheets per cartor
ite Easy	/ Peel [®] Laser	Labels (Uncoated	I)				
5160	0080702	30	1 x 2 5/8	Permanent	13#	100	5 packs/ 500 sheets
ite Ship	ping Labels v	v/TrueBlock [®] (Un	coated)				
5168	0080705	4	5 x 3 1/2	Permanent	13#	100	5 packs/ 500 sheets
5164 5163	0080700 0080703	6 10	3 1/3 x 4 2 x 4	Permanent Permanent	13# 13#	100 100	5 packs/ 500 sheets 5 packs/ 500 sheets
	ible Name Ba		/ / .				
5395	0080704	8	2 1/3 x 3 3/8	Badge	5#	50	5 packs/ 250 sheets
me Ba <u>d</u>	ge Inserts Mic	roperfed (Uncoa	ted)				
	0080701	6	3 x 4	Non PS	5#	50	5 packs/ 250 sheets

Minimum Order

Inner packs of 100 are sold by the box Inner packs of 25 or 50 are sold in full carton increments