

DiversiPrint®



Dual Purpose



Digi™



Performance



Digital & Die-Cut Pressure Sensitive
ENHANCE YOUR EXPERIENCE



Lindenmeyr Label

Premium Quality Pressure Sensitive

DiversiPrint®

For Production Toner Presses, Laser Printers, and Copiers

| | Size | GSM | S-Scored Line/On-Spilt Liner | Permanent Adhesive # | Removable Adhesive # | Sheet/Carbon |
|-------------------------------------|-------------|----------------------|------------------------------|----------------------|----------------------|--------------|
| DiversiPrint® Paper Products | | | | | | |
| 60# Gloss | 8.5x11 | 198 | S | LL2130 | | 1000 |
| | 12x18 | 198/209 ^R | S | LL44500 | 0044501 | 200 |
| | 12x18 | 198 | S | 0002128 | | 500 |
| | 12x18 | 198 | 0 | 0044638 | | 200 |
| | 13x19 | 198 | S | 0048700 | | 200 |
| 55# Semi Gloss | 12x18 | 193 | S | LL43957 | | 200 |
| | 12x18 | 193 | 0 | 0049038 | | 200 |
| 60# Ultra Matte™ | 8.5x11 | 202 | S | LL2133 | | 1000 |
| | 12x18 | 202/213 ^R | S | LL44502 | 0044503 | 200 |
| | 12x18 | 202 | S | 0002131 | | 500 |
| | 12x18 | 202 | 0 | 0049041 | | 200 |
| 60# Bright White | 8.5x11 | 202 | S | LL2135 | | 1000 |
| 10% PCW and ink jet printable | 8.5x11 | 202 | 0 | 0002531 | | 1000 |
| | 12x18 | 202 | S | LL44504 | | 200 |
| | 12x18 | 202 | S | 0002134 | | 500 |
| | 12x18 | 202 | 0 | 0044505 | | 200 |
| | 12x18 | 202 | 0 | 0002529 | | 500 |
| | 13x19 | 202 | S | 0048701 | | 200 |
| | 17.25x22.25 | 202 | 0 | 0002530 | | 500 |
| 60# Gloss Cover-up | 12x18 | 206 | S | LL44506 | | 200 |
| 60# Ultra Matte™ Cover-up | 12x18 | 210 | S | 0044507 | | 200 |

DiversiPrint® Film and Specialty Products

| | | | | | | |
|-----------------------------|--------|-----|---|----------|--|------|
| Gloss White Laser Polyester | 12x18 | 179 | 0 | 0048321 | | 200 |
| Matte White Laser Polyester | 12x18 | 183 | 0 | 0045955 | | 200 |
| Gloss Clear Laser Polyester | 8.5x11 | 185 | 0 | 0044734* | | 1000 |
| | 12x18 | 185 | 0 | 0044827 | | 200 |
| Digital Satin Cloth | 12x18 | 262 | S | 0045709 | | 200 |

For optimal printer settings, approvals, and certifications, visit spinpms.com.

Bold item numbers represent Lindenmeyr brand products; additional numbers are Spinnaker Strip-Tac® brand items.

GSM denotes typical values. ^R Indicates GSM value for removable adhesive item. * Items also sold in individual 100 sheet box.

Tips for printing DiversiPrint® pressure sensitive

PAPER PRODUCTS

Laser printing after offset printing:

- For best laser processing results, immediately package offset printed stock in a moisture barrier wrap

Desktop and mid-range printers:

- Feed through manual feed tray
- Use “heavy paper” setting or set to proper GSM for best toner anchorage

High-speed laser printers:

- For best feeding results, use the belt/friction feed loading tray and the top delivery tray
- Use the appropriate weight setting for best toner anchorage and feeding

FILM PRODUCTS

- For best toner anchorage, use appropriate weight or thickness setting, which on some printers is the “heavyweight” setting
- When printing clear, choose the “white” setting so the printer will recognize the liner
- Use the maximum amount of static elimination
- If a jam occurs, turn the sheets so that the opposite edge becomes the feed edge as the jam may have been caused by a bent corner

Tips for printing Digital Dual Purpose Films

- Condition stock at pressroom conditions for a minimum of 24 hours
- Set to appropriate GSM and/or caliper or use “heavyweight” setting
- If film is clear, use “white” setting
- For HP Indigo, the blanket temperature may be increased to improve ink anchorage
- Use the maximum amount of static elimination

Tips for printing Digi™ pressure sensitive

- Condition stock at pressroom conditions for a minimum of 24 hours
- For best ink anchorage and feeding results, use appropriate GSM or thickness setting
- To improve ink anchorage, the blanket temperature may be increased

For certifications, approvals, and optimal printer settings, visit spinps.com, email sales@spinps.com, or call our Technical Consulting Hotline at 877.210.5104.

Digital Dual Purpose Films

For HP Indigo Digital Presses, Production Toner Presses, and Laser Printers

| | Size | GSM | Scored Line/No-Spill Liner | Permanent Adhesive # | Removable Adhesive # (Paper) Ultra Rem. Adhesive # (Film) | Sheets/Carroll |
|---------------------------|-----------|----------------------|----------------------------|----------------------|--|----------------|
| 7 Mil Digital Teslin® | 12x18 | 251 | S | 0044932 | | 200 |
| | 13x19 | 251 | S | 0044651 | | 200 |
| Matte White Digital Vinyl | 12x18 | 273/270 ^a | S | LL43842 | LL43841 | 200 |
| | 12x18 | 273/270 ^a | 0 | LL45511 | 0045509 | 200 |
| | 13x19 | 273/270 ^a | S | LL84453 | LL84455 | 200 |
| | 29.5x20.5 | 273/270 ^a | S | 0047675 | 0047672 | 200 |
| Matte Clear Digital Vinyl | 12x18 | 264/261 ^a | 0 | 0045508 | LL43840 | 200 |
| | 13x19 | 264/261 ^a | 0 | 0046761 | 0046762 | 200 |

Digi™

For HP Indigo Digital Presses

Digi™ Paper Products

| | | | | | | |
|------------------------------------|-----------|----------------------|---|----------------|---------|-----|
| Gloss Optimized | 12x18 | 223 | S | LL44508 | | 200 |
| | 12x18 | 223 | S | 0009799 | | 500 |
| | 12x18 | 223 | 0 | 0044639 | | 200 |
| | 13x19 | 223 | S | LL44509 | | 200 |
| | 29.5x20.5 | 223 | S | 0047524 | | 200 |
| Semi Gloss | 12x18 | 220 | S | LL44510 | | 200 |
| | 13x19 | 220 | S | 0045684 | | 200 |
| Matte | 12x18 | 221/238 ^a | S | LL44511 | 0045687 | 200 |
| | 12x18 | 221 | S | 0009801 | | 500 |
| | 12x18 | 221 | 0 | 0049039 | | 200 |
| | 13x19 | 221 | S | LL44512 | | 200 |
| | 29.5x20.5 | 221 | S | 0047521 | | 200 |
| Uncoated Finch Fine® iD 10% PCW | 12x18 | 227 | S | LL44513 | | 200 |
| | 12x18 | 227 | S | 0043099 | | 500 |
| | 12x18 | 227 | 0 | 0044640 | | 200 |
| | 13x19 | 227 | S | 0045683 | | 200 |
| 8 Pt Tag Optimized | 12x18 | 320 | S | 0044514 | | 200 |
| Gloss Cover-up Optimized | 12x18 | 232 | S | LL44515 | | 200 |
| Matte Cover-up | 12x18 | 231 | S | 0044516 | | 200 |

For optimal printer settings, approvals, and certifications, visit spinks.com.

Bold item numbers represent Lindenmeyr brand products; additional numbers are Spinnaker Strip-Tac® brand items.

GSM denotes typical values. ^a Indicates GSM value for removable adhesive item. * Items also sold in individual 100 sheet box.

Die-Cut Products

Designed for today's demanding digital print systems

Performance

Die-cut products for high production applications

Manufactured with Adhesive-Free Edges which offer trouble-free processing by eliminating adhesive from the outer 1/16" edge of the 8 1/2" x 11" sheet.



Adhesive-Free Edges

| Stock # | Avery® Code Template Ref. | Label Size | Labels / Sheet | Sheets / Box | Labels / Box | Stock # | Avery® Code Template Ref. | Label Size | Labels / Sheet | Sheets / Box | Labels / Box |
|--------------------------------------|---------------------------|-----------------|----------------|--------------|--------------|--|---------------------------|---------------|----------------|--------------|--------------|
| 96 Bright White | | | | | | | | | | | |
| S4401A ^{B***} | 5165™ | 8 1/2" x 11" | 1 | 100 | 100 | S4314 | 5162™ | 4" x 1 1/8" | 14 | 100 | 1400 |
| S4402 | | 8 1/2" x 5 1/2" | 2 | 100 | 200 | S4320 ¹ | 5161™ | 4" x 1" | 20 | 100 | 2000 |
| S4304 | | 4" x 5" | 4 | 100 | 400 | LLS4330 ² | 5160™ | 2 5/8" x 1" | 30 | 100 | 3000 |
| LLS4504 | 5168™ | 3 1/2" x 5" | 4 | 100 | 400 | S4380 | 5167™ | 1 3/4" x 1/2" | 80 | 100 | 8000 |
| LLS4306 | 5164™ | 4" x 3 1/3" | 6 | 100 | 600 | S4106 | | 3 1/3" circle | 6 | 100 | 600 |
| S4308 | | 4" x 2 1/2" | 8 | 100 | 800 | S4012 | 5294™ | 2 1/2" circle | 12 | 100 | 1200 |
| LLS4310 | 5163™ | 4" x 2" | 10 | 100 | 1000 | S4024 | 5293™ | 1 2/3" circle | 24 | 100 | 2400 |
| S4512 | | 2" x 3" | 12 | 100 | 1200 | S4602 | | 4 5/8" CD | 2 | 100 | 200 |
| Specialty die-cut products*** | | | | | | | | | | | |
| Name Badge - Uncoated | | | | | | Auto Window Sticker - liner die cut | | | | | |
| S4508B** | 5395™ | 3 3/8" x 2 1/8" | 8 | 100 | 800 | S4801RC | | 8" x 10" | 1 | 100 | 100 |

Bold item numbers represents Lindenmeyr brand products ¹ indicates 1 vertical perf ² indicates 2 vertical perfs ^B indicates 2 backsplits
 micro perfs between labels * does not have adhesive-free edges

For a complete listing of die-cuts, reference the Lindenmeyr Label Digital Catalog.
 For die-cut templates, visit Spinnaker's website at spinps.com.

CUSTOM DIE-CUT LABELS FOR DIGITAL PRINTING

When a custom layout is needed, let us help with the custom die-cut program.

- Wide variety of whites, colors, and film facestocks available.
- Common Digital Sizes, including: 8 1/2 x 11, 11 x 17, 12 x 18, 13 x 19, and 14 x 20
- Order / Freight Minimum: as low as 1,000 sheets
- Leadtime: 3-10 business days

FULL SHEET DIGITAL EXPRESS PROGRAM

When non-stocking digital sheet sizes are needed for maximum printer efficiency, use the Digital Express Program.

- **Products:** papers and films/perm, removable (ultra removable), and cover-ups
Most stocking constructions in this swatchbook available
- **Sizes:** 8½ x 11, 8½ x 14, 11 x 17, 12 x 18, 13 x 19, and 14 x 20 sheet sizes qualify*
- **Packaging:** bulk packed in cartons
- **Order / Freight:** minimum 1,000 sheets / maximum 10,000 sheets*
- **Leadtime:** 2 - 5 business days

* Larger quantities and additional digital sizes may have a longer leadtime

Contact your local Lindenmeyr location with your specific needs or to obtain more details.



Lindenmeyr Munroe

Shop Online at LindenmeyrMunroe.com

Product performance depends on many variables; testing for a specific application is recommended.

Digi, DiversiPrint, Strip-Tac, and Ultra Matte are trademarks of Spinnaker Coating, LLC. Finch Fine is a registered trademark of Finch Paper, LLC.

Teslin is a registered trademark of PPG Industries. HP and Indigo are trademarks of Hewlett-Packard Development Company, L.P. Kodak and NexPress are trademarks of Eastman Kodak Company. Printer models are trademarks of their respective owners.