

# Avery Dennison Digital Media

A comprehensive product range for digital graphic applications.

Digital Media Selector





# Warranty Coverage By Printer

PRINTER MANUFACTURER	MODEL	INK TYPE	WARRANTY TYPE		APPROVED GRAPHICS PROTECTION**			
			ICS PG (Application Specific)	ICS Platinum*	DOL Series	Neschen Clearcoat	Valspar Clearcoat	Nazdar 3529 UV Screen Print Clear
<b>Agfa</b>	Grand Sherpa Universal	Eco-Solvent Plus	●	-	●	●	●	●
<b>ColorSpan</b>	DisplayMaker 72s Series	SolaChrome-HR	●	●	●	●	●	●
	DisplayMaker 98s Series	SolaChrome-HR	●	●	●	●	●	-
	DisplayMaker 72uv Series	SolaChrome-UV	●	-	●	-	-	-
	DisplayMaker 98uv Series	SolaChrome-UV	●	-	●	-	-	-
	DisplayMaker 5400uv Series	SolaChrome-UV	●	-	●	-	-	-
<b>Durst</b>	Rho 160, 160+, 205	Durst UV	●	-	●	-	-	-
<b>Epson</b>	Stylus Pro GS6000	UltraChrom GS	●	-	●	●	●	-
<b>Gandi</b>	3312/ 3324	HL Version 2	●	-	●	-	-	-
<b>HP</b>	Designjet 8000 series	HP Low Solvent	●	●	●	●	●	-
	Designjet 9000 series	HP Low Solvent	●	●	●	●	●	-
	Designjet 10000 series	HP Low Solvent	●	●	●	●	●	-
	Designjet H3500 Series	SolaChrome-UV	●	-	●	-	-	-
	Designjet H4500 Series	SolaChrome-UV	●	-	●	-	-	-
	Designjet L25500 Series	HP 789 Latex	●	●	●	-	-	-
	Designjet L65500 Series	HP 786 Latex	●	●	●	-	-	-
	Designjet LX 600	HP 786 Latex	●	●	●	-	-	-
	Designjet LX 800	HP 786 Latex	●	●	●	-	-	-
	Scitex FB910	FB240	●	-	●	-	-	-
	Scitex FB6100UV	FBB200UV	●	-	●	-	-	-
	Scitex Novo (Idanit)	DR100	●	●	●	●	●	●
	Scitex Pressjet	DR100	●	●	●	●	●	●
	Scitex XL Jet	XL100, XL 200	●	●	●	●	●	●
	Scitex XL Jet Premium	XL300	●	●	●	●	●	●
Turbojet (TJ8300)	TJ100	●	●	●	●	●	●	
<b>Mimaki</b>	JV3 Series	SS2	●	●	●	●	●	●
	JV3 Series	MS2	●	-	●	●	●	-
	JV5 Series	HS1	●	-	●	●	●	-
	JV33	SS21	●	-	●	●	●	-
	UVJ-160 Hybrid UV LED	LF-200 Flexible UV ink	●	-	●	-	-	-
<b>Mutoh</b>	Falcon Outdoor	Eco-Ultra	●	-	●	-	●	-
	Falcon Outdoor Jr	Eco-Ultra	●	-	●	-	●	-
	Falcon II Outdoor	Eco-Ultra	●	-	●	-	●	-
	Toucan	Toucan Solvent	●	●	●	●	●	●
	Toucan LT	LT Solvent	●	-	●	●	●	-
		Eco-Ultra	●	-	●	●	●	-
ValueJet Series	Eco-Ultra	●	-	●	●	●	-	
<b>Oce</b>	CS6060	ICJ6210	●	-	●	●	●	-
	CS9050	ICJ930	●	-	●	-	-	-
	CS9160	ICJ931	●	-	●	-	-	-
	Arizona 180	Oce Arizona	●	-	●	●	●	-
		Nazdar NDI 500	●	-	●	●	●	-
<b>Roland</b>	VersaCAMM SP Series	ECO-SOL MAX	●	-	●	-	●	-
	VersaCAMM VP Series	ECO-SOL MAX	●	-	●	-	●	-
	VersaCAMM VS Series	ECO-SOL MAX	●	-	●	-	●	-
	SolJet Pro II EX Series	ECO-SOL MAX	●	-	●	-	●	-
	SolJet Pro II V Series	ECO-SOL MAX	●	-	●	-	●	-
	SolJet Pro III XC Series	ECO-SOL MAX	●	-	●	-	●	-
	SolJet Pro III XJ Series	ECO-SOL MAX	●	-	●	-	●	-
	VersaArt RS Series	ECO-SOL MAX	●	-	●	-	●	-
AJ Series	ECO-Xtreme	●	-	●	-	-	-	
<b>Seiko</b>	Color Painter 64s / 100s	EG-Outdoor LX inks	●	●	●	●	●	-
	Color Painter V64s	EG-Outdoor LX inks	●	●	●	●	●	-
	Color Painter H-104s/74s	EG-Outdoor GX inks	●	●	●	●	●	-
<b>VUTEK (EFI)</b>	VUTEK 150	UltraVu 5	●	●	●	●	●	●
		UltraVu 5	●	●	●	●	●	●
	VUTEK 2360/3360	Sericol Color+ for VUTEK	●	-	●	●	●	-
		Triangle VUV	●	-	●	●	●	-
	VUTEK 3300/ 5300	UltraVu 5	●	●	●	●	●	●
	VUTEK 5330	UltraVu 5	●	●	●	●	●	●
VUTEK UltraVU UV	UV 200 Series	●	-	●	-	-	-	

\* Printer and shop must be certified on a case-by-case basis. Contact your Avery Dennison sales representative for more details.

\*\* This chart is an overview of the Avery Dennison warranty program. Please consult the actual warranty document for complete details on ink, graphic protection and media recommendations.

# MPI – Multi-Purpose Ink Jet Media

## SUPER CAST

Premium cast vinyl for superior conformability and maximum durability.

<b>MPI 1005 Easy Apply RS™</b> 2.1 mil White Gloss Cast Vinyl. Designed for vehicle and fleet wraps. Ideal for compound curves and over rivets and corrugation. Features the Avery Easy Apply and RS repositionable feature for mistake free easy installations.	41065SC	60" x 250 yd*
	5336SC	60" x 100 yd
	5337SC	60" x 50 yd
	41064SC	54" x 250 yd*
	5334SC	54" x 100 yd
	5332SC	54" x 50 yd
	5349SC	54" x 25 yd
	5328SC	48" x 50 yd
	41070SC	48" x 25 yd
	41002SC	30" x 50 yd
<b>MPI 1005 Easy Apply™</b> 2.1 mil White Gloss Cast Vinyl. Designed for vehicle and fleet wraps. Ideal for compound curves and over rivets and corrugation. Features the Avery Easy Apply feature for simple bubble free installations on smooth surfaces.	5331SC	24" x 5 yd
	41062SC	60" x 250 yd*
	3284SC	60" x 100 yd
	3144SC	60" x 50 yd
	41061SC	54" x 250 yd*
	3077SC	54" x 100 yd
	3164SC	54" x 50 yd
	5350SC	54" x 25 yd
	41060SC	48" x 250 yd*
	3282SC	48" x 100 yd
<b>MPI 1005</b> 2.1 mil White Gloss Cast Vinyl. Designed for vehicle and fleet wraps. Ideal for compound curves and over rivets and corrugation.	3443SC	48" x 50 yd
	3404SC	24" x 5 yd
	5022SC	60" x 50 yd
	3511SC	54" x 50 yd
	5014SC	48" x 50 yd
<b>MPI 1060 Transparent</b> 2.1 mil Clear Gloss Cast vinyl. Super smooth film with permanent adhesive for use in vehicle, fleet and window applications over flat or compound curved surfaces.	5016SC	24" x 5 yd
	3246	60" x 100 yd
	3261	60" x 50 yd
	4487	48" x 100 yd
	3395	48" x 50 yd
	5574	24" x 5 yd

## HIGH PERFORMANCE CALENDERED

Premium calendered vinyl for slightly curved surfaces and moderate durability.

<b>MPI 2050 Translucent</b> 3.2 mil White Matte Translucent Calendered film with a permanent adhesive for illuminated signage with great image quality.	5513	60" x 50 yd
	5512	54" x 50 yd
	5514	54" x 25 yd
	5523	24" x 5 yd
<b>MPI 2105 Easy Apply RS™</b> 3.1 mil White Gloss opaque vinyl with a long term removable adhesive. Designed vehicle, fleet and general sign applications. Features the Avery Easy Apply and RS repositionable feature for mistake free easy installations.	41121	60" x 50 yd
	41084	54" x 50 yd
	41124	24" x 5 yd
<b>MPI 2105 Easy Apply™</b> 3.1 mil White Gloss opaque vinyl with a long term removable adhesive. Designed vehicle, fleet and general sign applications. Features the Avery Easy Apply feature for mistake free easy installations.	41116	60" x 50 yd
	41083	54" x 50 yd
	41120	24" x 5 yd
<b>MPI 2103</b> 3.1 mil White Gloss opaque vinyl with a permanent adhesive. Designed for Wall murals, POP/Tradeshows, and outdoor signage.	41081	54" x 50 yd
	6095	60" x 50 yd
	6096	30" x 50 yd
<b>MPI 2102</b> 3.1 mil White Gloss opaque vinyl with a removable adhesive. Designed for POP/Tradeshows, Window Graphics and outdoor signage.	41082	54" x 50 yd
	41110	60" x 50 yd
<b>MPI 2125 Easy Apply™</b> 3.4 mil White Matte opaque vinyl with a clear long term removable adhesive. Designed vehicle, fleet and general sign applications. Features the Avery Easy Apply feature for mistake free easy installations.	6099	60" x 50 yd
	6100	54" x 100 yd
	6101	54" x 50 yd
	6102	30" x 50 yd
<b>MPI 2126 Hi Tack Easy Apply™</b> 3.4 mil white matte opaque vinyl with a high tack Easy Apply(TM) adhesive. Designed for use on low surface energy substrates and adhesive-resistant surfaces such as plastics, powder coated paints, fiber glass and painted metal surfaces.	6300	60" x 50 yd
	6301	54" x 50 yd
	6302	24" x 5 yd

\* 6 inch cores.

## HIGH PERFORMANCE CALENDERED (Continued)

Premium calendered vinyl for slightly curved surfaces and moderate durability.

<b>MPI 2120</b> 3.4 mil White Matte opaque vinyl with a clear permanent adhesive. Designed for Wall murals, POP/Tradeshows, Window Graphics and outdoor signage.	4446	60" x 100 yd
	3145	60" x 50 yd
	3085	54" x 100 yd
	3165	54" x 50 yd
	4445	48" x 100 yd
	3444	48" x 50 yd
	41031	30" x 50 yd
<b>MPI 2121 Transit Vinyl</b> 3.4 mil White Matte opaque flexible calendered vinyl film, perfect for all temporary transit graphic applications and general removable signage.	3355	62" x 100 yd
	3357	62" x 50 yd
	3119	60" x 100 yd
	5452	54" x 50 yd
	3353	48" x 100 yd
<b>MPI 2611 Wall Film</b> 6 mil White Luster opaque calendered vinyl film with a removable adhesive, designed specifically for wall graphic applications.	41056	54" x 100 yd
	5509	54" x 50 yd
	5510	54" x 25 yd
	5511	24" x 5 yd

## INTERMEDIATE CALENDERED

Medium term durability films for flat applications.



<b>MPI 2528 Perforated Window 50/50</b> 7 mil White/Black Perforated Vinyl with removable adhesive - 1.5mm Hole pattern for use on exterior-mount one-way visual panels for vehicle and stationary windows.	3098	54" x 100 yd
	3366	54" x 25 yd
	4549	48" x 100 yd
	3365	48" x 25 yd
<b>MPI 2728 Perforated Window 65/35</b> 7 mil White/Black Perforated Vinyl with removable adhesive - 1.5mm Hole pattern for use on exterior-mount one-way visual panels for stationary windows.	3582	54" x 100 yd
	3580	54" x 25 yd
<b>MPI 2077</b> 3.2 mil Clear vinyl film with ultra removable adhesive on a 1.5 mil PET liner. Specifically designed for promotional and short term applications on glass and other smooth surfaces.	6288	54" x 50 yd
	6289	24" x 5 yd
<b>MPI 2903 Easy Apply™</b> 3.2 mil White gloss opaque vinyl with a permanent adhesive. Designed for short to mid term applications on flat surfaces. Ideal for POP, trade show, indoor/outdoor window graphics and general signage. Features the Easy Apply feature for smooth error free applications on smooth surfaces.	41233	60" x 50 yd
	41235	54" x 100 yd
	41234	54" x 50 yd
	41237	30" x 50 yd
<b>MPI 2903</b> 3.2 mil White gloss opaque vinyl with a permanent adhesive. Designed for short to mid term applications on flat surfaces. Ideal for POP, trade show, indoor/outdoor graphics and general signage.	3571	60" x 50 yd
	3577	54" x 50 yd
	41010	30" x 50 yd
<b>MPI 2902</b> 3.2 mil White gloss opaque vinyl with a removable adhesive. Designed for short to mid term applications on flat surfaces. Ideal for POP, trade show, indoor/outdoor graphics and general signage.	3493	60" x 50 yd
	3494	54" x 50 yd
	41009	30" x 50 yd
<b>MPI 2923 Easy Apply™</b> 3.4 mil White matte opaque vinyl with a permanent adhesive. Designed for short to mid term applications on flat surfaces. Ideal for POP, trade show, indoor/outdoor graphics and general signage. Features the Easy Apply feature for smooth error free applications on smooth surfaces.	41239	60" x 50 yd
	41241	54" x 100 yd
	41240	54" x 50 yd
	41242	54" x 50 yd
	41243	30" x 50 yd
	41244	24" x 5 yd
<b>MPI 2923</b> 3.4 mil White matte opaque vinyl with a permanent adhesive. Designed for short to mid term applications on flat surfaces. Ideal for POP, trade show, indoor/outdoor graphics and general signage.	3275	60" x 50 yd
	6109	54" x 100 yd
	41036	54" x 50 yd
	41008	30" x 50 yd
<b>MPI 2921 Easy Apply™</b> 3.4 mil White matte opaque flexible calendered vinyl film with Easy Apply™ technology, perfect for remarking and changeable applications.	6282	60" x 100 yd
	6283	60" x 50 yd
	6284	54" x 100 yd
	6285	54" x 50 yd
<b>MPI 2921 Transit Vinyl</b> 3.4 mil White Matte opaque flexible calendered vinyl film, perfect for all temporary transit graphic applications and general removable signage.	6286	24" x 5 yd
	6260	62" x 50 yd
	6261	54" x 50 yd
<b>MPI 2922</b> 3.4 mil White matte opaque vinyl with a removable adhesive. Designed for short to mid term applications on flat surfaces. Ideal for POP, trade show, indoor/outdoor graphics and general signage.	3251	60" x 50 yd
	41013	54" x 50 yd
	41012	30" x 50 yd
<b>MPI 2981 Translucent</b> 3.4 mil White matte semi-translucent calendered film with a removable adhesive for short to medium term illuminated signage.	3249	60" x 50 yd
	41011	30" x 50 yd
	3002	54" x 50 yd *

# MPI – Multi-Purpose Ink Jet Media (Continued)

PROMO CALENDERED Monomeric Vinyl for flat surface and short term durability.		
<b>MPI 3303</b> 3 mil White gloss opaque vinyl with a permanent adhesive. Designed to short term indoor or outdoor use on POP, trade show and general signage applications.	5228	60" x 50 yd
	5229	60" x 100 yd
	5226	54" x 50 yd
	5227	54" x 100 yd
	5224	30" x 50 yd
<b>MPI 3302</b> 3 mil White gloss opaque vinyl with a removable adhesive. Designed to short term indoor or outdoor use on POP, trade show and general signage applications.	5244	60" x 50 yd
	5245	60" x 100 yd
	5242	54" x 50 yd
	5243	54" x 100 yd
	5240	30" x 50 yd
<b>MPI 3323</b> 3 mil White matte opaque vinyl with a permanent adhesive. Designed to short term indoor or outdoor use on POP, trade show and general signage applications.	5236	60" x 50 yd
	5237	60" x 100 yd
	5234	54" x 50 yd
	5235	54" x 100 yd
	5232	30" x 50 yd
<b>MPI 3322</b> 3 mil White matte opaque vinyl with a removable adhesive. Designed to short term indoor or outdoor use on POP, trade show and general signage applications.	41082	54" x 50 yd
	41110	60" x 50 yd
	5232	30" x 50 yd
<b>MPI 3529 Perforated Window 50/50</b> 7 mil White/Black Perforated Vinyl with removable adhesive - 1.5mm Hole pattern for use on exterior-mount one-way visual panels for vehicle and stationary windows.	6204	54" x 25 ft
	6205	54" x 100 ft
	5978	60" x 25 ft
	5977	60" x 100 ft
	6223	30" x 25 ft
<b>MPI 3729 Perforated Window 60/40</b> 7 mil White/Black Perforated Vinyl with removable adhesive - 1.5mm Hole pattern for use on exterior-mount one-way visual panels for stationary windows.	6206	54" x 100 ft
	6207	54" x 25 ft
	5980	60" x 25 ft
	5979	60" x 100 ft




SPECIALTY		
<b>MPI 6200 Premium Reflective</b> 5.5 mil White cast reflective film with a silver permanent adhesive. Designed for vehicle, fleet and general signage applications. See product technical bulletins for application and specification details.	5384	48" x 50 yd
	5385	48" x 25 yd
	41016	48" x 10 yd
	5411	24" x 5 yd
	1862 SYSK	24" x 10 yd
<b>SF 100-103</b> 2.0 mil Clear gloss polyester with an ultra removable adhesive on a 5 mil polyester liner. Designed for flat applications on glass and other smooth surfaces.	1862 SYSL	54" x 50 yd
	1862 SYSU	48" x 50 yd
	1862 SYSM	24" x 50 yd
	1862 SYSQ	30" x 50 yd
	1862 SYSR	48" x 10 yd
<b>SF 100 Polyester Series</b> High gloss films which are clear, white or metalized. These environmentally responsible products are UV printable on a 90 pound liner.	See data sheet for details.	




# DOL – Digital Overlaminates

ULTIMATE CAST Premium Cast films for maximum durability and conformability. Designed to work with MPI Cast films.			
<b>DOL1060</b> 2.1 mil Clear gloss cast vinyl film with a smooth PET liner. Designed to provide maximum protection to printed graphics and conformability over rivets. Ideal for vehicle and fleet graphics with flat or compound curves.		3271	60" x 100 yd
		41018	60" x 50 yd
		3078	54" x 100 yd
		3594	54" x 50 yd
		5354	54" x 25 yd
		3699	48" x 100 yd
		3557	48" x 50 yd
		41017	30" x 50 yd
		5357	24" X 5 yd
		41020	60" x 50 yd
		3086	54" x 100 yd
<b>DOL1080</b> 2.1 mil Clear matte cast vinyl film with a kraft paper liner. Designed to provide maximum protection to printed graphics and conformability over rivets. Ideal for vehicle and fleet graphics with flat or compound curves.		3601	54" x 50 yd
		5355	54" x 25 yd
		5249	48" x 50 yd
		41019	30" x 50 yd
		5528	24" X 5 yd
		41028	60" x 50 yd
		41027	54" x 50 yd
<b>DOL1360</b> 1.3 mil Clear gloss cast vinyl film with a smooth PET liner. Designed to provide maximum protection to printed graphics and conformability over rivets and corrugation. Ideal for vehicle and fleet graphics compound curves and a laminate over unprinted graphics.		41072	54" x 25 yd
		41026	48" x 50 yd
		41025	30" x 50 yd
		5497	24" X 5 yd

ULTIMATE CAST Premium Cast films for maximum durability and conformability. Designed to work with MPI Cast films.		
<b>DOL1370</b> 1.3 mil Clear luster cast vinyl film with a kraft paper liner. Designed to provide maximum protection to printed graphics and conformability over rivets and corrugation. Ideal for vehicle and fleet graphics compound curves.	41218	60" x 50 yd
	41219	54" x 50 yd
	41220	54" x 25 yd
	41221	48" x 50 yd
	41223	24" x 5 yd
<b>DOL1380</b> 1.3 mil Clear matte cast vinyl film with a kraft paper liner. Designed to provide maximum protection to printed graphics and conformability over rivets and corrugation. Ideal for vehicle, fleet graphics compound curves.	41227	60" x 50 yd
	41228	54" x 50 yd
	41229	54" x 25 yd
	41230	48" x 50 yd
	41232	24" x 5 yd
<b>DOL1460</b> 1.3 mil Clear gloss film with a smooth PET liner. Highly conformable overlaminates for the toughest, most irregular surfaces.	5048	60" x 50 yd
	5046	54" x 50 yd
	5047	54" x 25 yd
	5049	48" x 50 yd
	5050	24" X 5 yd
<b>DOL1560 Optically Clear</b> 2.1 mil Ultra clear gloss film with a smooth PET liner. Highly conformable film for window graphics and application over Perforated Window films.	3432	54" x 50 yd
	41059	54" x 25 yd
	3431	48" x 50 yd

# DOL – Digital Overlaminates (Continued)

HIGH PERFORMANCE CALENDERED Designed for MPI2000 Series print films			
<b>DOL2060</b> 3.1 mil Clear gloss film on a kraft paper liner. Designed for short to medium term durability on flat to simple curve applications.		5396	60" x 50 yd
		5395	54" x 50 yd
		5394	54" x 25 yd
		41023	30" x 50 yd
		5413	24" X 5 yd
<b>DOL2070</b> 3.1 mil Clear luster film on a kraft paper liner. Designed for short to medium term durability on flat to simple curve applications.		3396	60" x 50 yd
		3185	54" x 50 yd
		5356	54" x 25 yd
		5485	51" x 50 yd
		41022	48" x 50 yd
		41021	30" x 50 yd
		5358	24" X 5 yd
		5404	60" x 50 yd
<b>DOL2080</b> 3.1 mil Clear matte film on a kraft paper liner. Designed for short to medium term durability on flat to simple curve applications.		5403	54" x 50 yd
		5401	48" x 50 yd
		41024	30" x 50 yd
		5414	24" X 5 yd
		5497	24" X 5 yd

PROMO CALENDERED Designed for MPI3000 Series Films			
<b>DOL3060</b> 3.2 mil Clear gloss film with a kraft paper liner. Designed for short term protection in flat surface applications.		41040	60" x 50 yd
		41041	54" x 50 yd
		41042	30" x 50 yd
		41053	24" X 5 yd
<b>DOL3070</b> 3.2 mil Clear luster film with a kraft paper liner. Designed for short term protection in flat surface applications.		41037	60" x 50 yd
		41038	54" x 50 yd
		41039	30" x 50 yd
		41052	24" X 5 yd
		41043	60" x 50 yd
<b>DOL3080</b> 3.2 mil Clear matte film with a kraft paper liner. Designed for short term protection in flat surface applications.		41044	60" x 100 yd
		41045	30" x 50 yd
		41054	24" X 5 yd

SPECIALTY		
<b>DOL6060 ANTI-GRAFFITI</b> 1.0 mil Clear gloss PET film with a kraft paper liner. Designed as a graffiti resistant laminate in flat applications. Excellent solvent resistance.	3624	60" x 50 yd
	3623	54" x 50 yd
	3625	54" x 25 yd
	3626	48" x 50 yd
	6258	60" x 50 yd KR
<b>DOL6460 Gloss</b> 1.5 mil Clear gloss urethane film with permanent adhesive and polyester or kraft liner.	6262	54" x 50 yd KR
	6259	60" x 50 yd PET
	6263	54" x 25 yd PET
	3613	54" x 50 yd
<b>DOL6560 Optically Clear</b> 1.0 mil Clear gloss polyester film with permanent adhesive and 1.5 mil PET liner.	3614	54" x 25 yd
	3622	60" x 50 yd
	4408	60" x 25 yd
	6224	54" x 50 yd
<b>DOL6960</b> 2.0 mil Clear gloss polyester film with permanent adhesive and a 40# Bleached glassine liner.	6225	54" x 25 yd
	6226	60" x 50 yd
	6227	60" x 25 yd

For more information on Avery Dennison products and services, contact your sales representative or call Customer Service at **800.282.8379**. Visit us online at [graphics.averydennison.com](http://graphics.averydennison.com).

To order samples of these products directly, contact us at [samples.graphics@averydennison.com](mailto:samples.graphics@averydennison.com) or request online at [graphics.averydennison.com](http://graphics.averydennison.com)



All statements, technical information and recommendations about Avery Dennison products are based upon tests and information believed to be reliable but do not constitute a guarantee or warranty of any kind. All Avery Dennison products are sold with the understanding that Purchaser has independently determined the suitability of such products for its intended and other purposes.

© 2015 Avery Dennison Corporation. All rights reserved.

Avery Dennison® is a registered trademark of Avery Dennison Corporation. Avery™ and all other Avery Dennison brands.

S92171 PDF 03/15



Graphics Solutions

**Avery Dennison Graphics Solutions**  
 8080 Norton Parkway  
 Mentor, Ohio 44060  
[graphics.averydennison.com](http://graphics.averydennison.com)