

## Digital & Die-Cut Product Catalog ENHANCE YOUR EXPERIENCE

Includes:



## New Items Inside - Check Pages 3, 7 & 9 For Details





Customer Support: LindenmeyrMunroe.com Technical Support Phone: 877-210-5104

## Digital Index ►

Products for Production Toner Presses, Laser Pr	inters and copiers	Page
DiversiPrint <sup>®</sup> Papers		3
DiversiPrint <sup>®</sup> Cover-ups		3
DiversiPrint <sup>®</sup> Films & Specialty		4
Dual Purpose Films		6
Products for Ink Jet Printers		
DiversiPrint <sup>®</sup> Papers		3
Products for HP Indigo <sup>®</sup> Digital Presses		
Digi <sup>™</sup> Papers		7
Digi <sup>™</sup> Cover-ups		7
Dual Purpose Films		6
Multi-Purpose Die Cut Labels		
Uncoated (including Performance Labels)		
Rectangles/ Squares		9
Circles 81/2 x 11		9
CD/DVD 81/2 x 11		9
Removable Circles		
Ultra Matte 81/2 x 11		10
White Digital Vinyl 12 x 18		10
Specialty Products		
Auto Window Sticker 8 <sup>1</sup> / <sub>2</sub> x 11		10
Name Badge 81/2 x 11		10
Door Seals 12 x 18		10
Custom Capabilities		
Full Sheet Digital Express Program		8
Multi-Purpose die cut labels		11
Technical Data		
Production toner, laser printers and copiers		5
Multi-Purpose die cut labels		12
Avery <sup>®</sup> Laser Printable Labels 8½ x 11		
White Easy Peel <sup>®</sup> Laser Labels		13
White Multipurpose Labels		13
White Shipping Labels w/TrueBlock®		13
White Flexible Name Badges		13
Name Badge Inserts Microperfed	Brought to you by Lindenmeyr Munroe	14

Digi, DiversiPrint, Strip-Tac and Ultra Matte are trademarks of Spinnaker Coating, LLC. Astrobrights and the Astrobrights colors are trademarks of Neenah Paper Inc. Finch Fine is a registered trademark of Finch Paper LLC. HP and Indigo are trademarks of Hewlett-Packard Development Company, L.P. Kodak and NexPress are trademarks of Eastman Kodak Company. Avery, Easy Peel and TrueBlock are registered trademarks of Avery Dennison Corporation. Teslin is a registered trademark of PPG Industries.





Customer Support: LindenmeyrMunroe.com Technical Support Phone: 877-210-5104

indenmeyr	Products Spinnaker				inner carton	sheets per	carton	
Label #	mfg #	sheet size	liner	adhesive	packaging	carton	weight	features
iversiPr	int <sup>®</sup> 60# Glo	SS						
LL2130	0045162	8.5 x 11	58# Scored	Permanent	100 box	1000	26#	A cast coated face stock with a mirror
L44500	0045167	12 x 18	58# Scored	Permanent	100 wrap	200	12#	finish for superb print reproduction.
	0002128	12 x 18	58# Scored	Permanent	100 wrap	500	30#	Permanent is Kodak Nexpress
	0044638	12 x 18	58# 0 Split	Permanent	100 wrap	200	12#	approved. Removable is pending
	0044501	12 x 18	58# Scored	Removable	100 wrap	200	12#	certification.
	0048700	13 x 19	58# Scored	Permanent	100 wrap	200	16#	Brightness: 87 Opacity: 90 Caliper: 8.1 mil
								GSM: Perm 198 / Rem 209
iversiPr	int <sup>®</sup> 55# Seı	mi Gloss						
L43957	0045166	12 x 18	58# Scored	Permanent	100 wrap	200	12#	An archival quality, semi gloss finish
	0049038	12 x 18	58# 0 Split	Permanent	100 wrap	200	12#	stock for superb print reproduction.
	0049030	12 × 10	30# 0 Spin	Fernanent	100 wiap	200	12#	
								Brightness: 89 Opacity: 87
								Caliper: 7.0 mil GSM: 193
ivorciDr	int <sup>®</sup> 60# Ult	ra Matta™						
LL2133	0045163	8.5 x 11	58# Scored	Permanent	100 box	1000	26#	A premium, C1S matte paper featurin
LL2133	0045163	12 x 18	58# Scored	Permanent	100 box	200	20# 12#	superior print surface and smudge
_L44302	0043108	12 x 18	58# Scored	Permanent	100 wrap	500	30#	resistance.
	0002131	12 x 18	58# 300red 58# 0 Split	Permanent	100 wrap	200	30# 12#	Brightness: 89 Opacity: 91
L44503	0049041 0049550	12 x 18 12 x 18 NEW	58# 0 Spiit 58# Scored	Removable		200	12#	Caliper: 8.3 mil
_L44503	0049550		56# Scored	Removable	100 wrap	200	12#	GSM: Perm 202 / Rem 213
oiversiPr		ght White						Also suitable for Ink Jet Printi
LL2135	0045164	8.5 x 11	58# Scored	Permanent	100 box	1000	26#	A premium bright white offset offering
	0002531	8.5 x 11	58# 0 Split	Permanent	100 box	1000	26#	excellent contrast and ink receptivity.
LL44504	0045169	12 x 18	58# Scored	Permanent	100 wrap	200	12#	
	0002134	12 x 18	58# Scored	Permanent	100 wrap	500	30#	
	0044505	12 x 18	58# 0 Split	Permanent	100 wrap	200	12#	PCW Content: 10%
	0002529	12 x 18	58# 0 Split	Permanent	100 wrap	500	30#	Brightness: 98 Opacity: 93
L48701	0049551	13 x 19 <b>NEW</b>	58# Scored	Permanent	100 wrap	200	16#	Caliper: 9.0 mil GSM: 202
		oss Cover-up						
_L44506	0045170	12 x 18	58# Scored	Permanent	100 wrap	200	12#	This cast coated face stock has a mir finish and an added barrier coat maki
								this sheet ideal for cover-up applications or when increased opaci
								is required.
								Brightness: 80 Opacity:>98
								Caliper: 8.3 mil GSM: 206
iversiPr	int <sup>®</sup> 60# Ult	ra Matte <sup>™</sup> Co	ver-up					
	0044507	12 x 18	58# Scored	Permanent	100 wrap	200	12#	A C1S matte face stock. The added
								barrier coat makes this sheet ideal for cover-up applications or when
								increased opacity is required.
								Brightness: 83 Opacity:>98
								Caliper: 8.3 mil GSM: 210





Customer Support: LindenmeyrMunroe.com Technical Support Phone: 877-210-5104

ndenmeyr	Spinnaker	aboot sins	liner	odbesive	inner carton	sheets per	carton	footures
Label #	mfg #	sheet size	liner Dolycostor	adhesive	packaging	carton	weight	features
Versim	0048321	White Laser 12 x 18	50# 0 Split	Permanent	100 wrap	200	12#	A 2.0 mil top-coated, gloss white polyester film featuring excellent laser print quality, toner adhesion and durability. This product is also suitable for desktop printers. Edges are stripp to reduce adhesive contamination.
								Caliper: 6.0 mil GSM: 179
versiPr	int <sup>®</sup> Matte	White Laser	Polyester					
	0045955	12 x 18	50# 0 Split	Permanent	100 wrap	200	12#	A 2.5 mil top-coated, matte white polyester film featuring excellent laser print quality, toner adhesion and durability. Also suitable for desktop printers. Edges are stripped to reduc adhesive contamination.
								Caliper: 6.5 mil GSM: Perm 183
versiPr	int <sup>®</sup> Gloss	Clear Laser	Polyester					
	0044827	12 x 18	50# 0 Split	Permanent	100 wrap	200	12#	A 2.0 mil top-coated, gloss clear polyester film featuring excellent laser print quality, toner adhesion and durability. Also suitable for desktop printers. Edges are stripped to reduc adhesive contamination.
								Caliper: 6.0 mil GSM: 185
pecial	lty Produ	ucts for Pi	oduction T	oner Presse	s and Lase	r Printer	s 🕨	
ndenmeyr Label #	Spinnaker mfg #	sheet size	liner	adhesive	inner carton packaging	sheets per carton	carton weight	features
versiPr	int <sup>®</sup> Digita	I Satin Cloth						
	0045709	12 x 18	80# Scored	Permanent	100 wrap	200	13#	Bright white rayon/acetate cloth typica used for name badge labels featuring special top-coat for digital printing. Fabric count: Warp 192 and Fill: 50
								Caliper: 11.6 mil GSM: 262



## **Technical Data - DiversiPrint**<sup>®</sup>

# Technical Data for Printing DiversiPrint<sup>®</sup> **Pressure Sensitive for Production Toner** Presses, Laser Printers, and Copiers

#### Paper Products

#### Laser printing after offset printing:

 For best laser processing results, after offset printing immediately package printed stock in a moisture barrier wrap

#### Desktop and mid-range laser printers:

- Feed through manual feed tray
- Use "heavy paper" setting or set to proper GSM for best toner anchorage


#### High-speed laser printers:

- For best feeding results, use the belt/friction feed loading tray and the top delivery tray
- Use the appropriate GSM setting for best toner anchorage and feeding

#### Film Products

- For best toner anchorage, use appropriate GSM or thickness setting. In some printers, "heavyweight" is the correct setting
- When printing clear, choose the "white" setting as the printer will recognize the liner
- Use the maximum amount of static elimination
- If a jam occurs, turn the sheets so that the opposite edge becomes the feed edge as the jam may have been caused by a bent corner





Customer Support: LindenmeyrMunroe.com Technical Support Phone: 877-210-5104

Lindenmeyr Label #	Spinnaker mfg #	sheet size	liner	adhesive	inner carton packaging	sheets per carton	carton weight	features
	tal Teslin <sup>®</sup>			danoonvo	paonaging	Salton	Holgh	- Contained
	0044932	12 x 18	80# Scored	Permanent	100 wrap	200	18#	Synthetic stock providing excellent printability and durability. Permanent items are ideal for menus, maps and banners. The removable item is ideal for cooler labels. Caliper: 12.2 mil GSM: Perm 250
Matta M/b	ito Digital \	linul						
	ite Digital \		00// 0		400		40.0	
LL43842	0045218	12 x 18	80# Scored	Permanent	100 wrap	200	18#	A 3.4 mil topcoated vinyl engineered fo HP Indigo, production toner presses &
LL45511 LL43841	0046109 0045217	12 x 18	80# 0-Split	Permanent Ultra Removable	100 wrap	200	18#	high-speed and mid-range laser
LL43041	0045217	12 x 18	80# Scored	Ultra Removable	100 wrap	200 200	18# 18#	printers. Not recommended for desktop
LL84453		12 x 18	80# 0-Split 80# Scored	Permanent	100 wrap		20#	printers.
	0045449	13 x 19	80# Scored 80# Scored	Ultra Removable	100 wrap 100 wrap	200 200	20# 20#	Caliper: Perm 8.9 mil / Rem 8.8 mil
LL84455	0045450	13 x 19	80# Scored	Permanent	•		20# 49#	GSM: Perm 273 / Rem 270
	0047675 0047672	29.5 x 20.5 29.5 x 20.5	80# Scored 80# Scored	Ultra Removable	100 wrap 100 wrap	200 200	49# 49#	GSM: Perm 2737 Rem 270
	0047072	23.3 X 20.3		Onia Keniovable	100 Wap	200	-0#	
Matte Cle	ar Digital V	/inyl						
	0045508	12 x 18	80# 0-Split	Permanent	100 wrap	200	18#	A 3.5 mil topcoated vinyl engineered fo
LL43840	0045219	12 x 18	80# 0-Split	Ultra Removable	100 wrap	200	18#	HP Indigo, production toner presses &
	0046761	13 x 19	80# 0-Split	Permanent	100 wrap	200	20#	high-speed and mid-range laser printers. Not recommended for desktop
	0046762	13 x 19	80# 0-Split	Ultra Removable	100 wrap	200	20#	printers.
								Caliper: Perm 9.0 mil / Rem 8.9 mil GSM: Perm 264 / Rem 261

denotes Lindenmeyr Label branded items




# Refer to HP Indigo printer settings matrix on website for certification with model number.

\*Independent testing was performed at the Printing Application Laboratory at Rochester Institute of Technology.



**Certified for** 

**HP Indigo** 



#### **Premium Pressure Sensitive Sheets**

Customer Support: LindenmeyrMunroe.com Technical Support Phone: 877-210-5104

		or HP Indigo	Digital Pre	sses 🕨	innor cortor	shoots sor	corton	
indenmeyr Label #	Spinnaker mfg #	sheet size	liner	adhesive	inner carton packaging	sheets per carton	carton weight	features
igi <sup>™</sup> Glo		ed for HP Ind	iao				Ť	
_L44508	0045171	12 x 18	80# Scored	Permanent	100 wrap	200	14#	A 60# cast coated paper stock with a
	0009799	12 x 18	80# Scored	Permanent	100 wrap	500	36#	mirror finish which is optimized for HP
	0044639	12 x 18	80# 0 Split	Permanent	100 wrap	200	14#	Indigo.
L44509	0045172	13 x 19	80# Scored	Permanent	100 wrap	200	16#	Caliper: 9.0 mil
	0047524	29.5 x 20.5	80# Scored	Permanent	100 wrap	200	44#	GSM: Perm 223
)igi <sup>™</sup> Ser	mi Gloss							
LL44510	0045173	12 x 18	80# Scored	Permanent	100 wrap	200	14#	A HP Indigo 55# semi-gloss facestock
	0045684	13 x 19	80# Scored	Permanent	100 wrap	200	16#	
								Brightness: 87 Opacity: 89
								Caliper: 8.4 mil GSM: 220
. TM								
igi <sup>‴</sup> Mat		40 - 12	20 // <b>0</b>		100	000	4.4.11	
LL44511	0045174	12 x 18	80# Scored	Permanent	100 wrap	200	14#	A 60# C1S matte finish paper suitable for HP Indigo.
	0009801	12 x 18	80# Scored	Permanent	100 wrap	500	36#	
	0049039	12 x 18	80# 0 Split	Permanent	100 wrap	200	14#	
	0045687	12 x 18	80# Scored	Removable	100 wrap	200	14#	Brightness: 89 Opacity: 91
LL44512	0045175	13 x 19	80# Scored	Permanent	100 wrap	200	16#	Caliper: 9.1 mil
	0047521	29.5 x 20.5	80# Scored	Permanent	100 wrap	200	44#	GSM: Perm 221 / Rem 238
igi <sup>™</sup> Uno	coated Find	h Fine <sup>®</sup> iD						
LL44513	0045176	12 x 18	80# Scored	Permanent	100 wrap	200	14#	A HP Indigo ready bright-white 60#
	0043099	12 x 18	80# Scored	Permanent	100 wrap	500	36#	uncoated face stock.
	0044640	12 x 18	80# 0 Split	Permanent	100 wrap	200	14#	PCW Content: 10%
LL45683	0049552	13 x 19 NEW	80# Scored	Permanent	100 wrap	200	16#	Brightness: 98 Opacity: 90
								Caliper: 9.2 mil GSM: 227
igi <sup>™</sup> 8 p <sup>.</sup>	t Tag Optin	nized for HP I	ndigo					
	0044514	12 x 18	80# Scored	Permanent	100 wrap	200	20#	A HP Indigo optimized 8 pt tag.
								Brightness: 89 Opacity: 94
								Caliper: 13.2 mil GSM: 320
TM								
igi <sup>‴</sup> Glo		p Optimized f						
	0044515	12 x 18	80# Scored	Permanent	100 wrap	200	14#	An optimized 60# cast coated paper stock with a mirror finish. This version
								has the added barrier coat for increas
								opacity.
								Brightness: 79 Opacity: >98
								Caliper: 9.1 mil GSM:232
igi <sup>™</sup> Mat	tte Cover-u	p						
	0044516	12 x 18	80# Scored	Permanent	100 wrap	200	14#	A 60# C1S matte finish paper suitable
								for HP Indigo which has the added
								barrier coat for increased opacity.
	_							Brightness: 83 Opacity: >98
		nmeyr Label brai	ndad itama					Caliper: 9.2 mil GSM: 231


# Refer to HP Indigo printer settings matrix on website for certification with model number.

\*Independent testing was performed at the Printing Application Laboratory at Rochester Institute of Technology.



**Certified for** 

**HP Indigo** 



**Premium Pressure Sensitive Sheets** Customer Support: LindenmeyrMunroe.com Technical Support Phone: 877-210-5104

### Full Sheet Digital Express Program 🕨

In need of sizes not stocked in the standard digital line? Are standard sizes not working for the best label layout or optimum press efficiency? Does your customer require a standard size but prefers bulk packaging due to the quantity involved?

## Let us help you with our Full Sheet Digital Express Program

When non-stocking digital sheet sizes are needed for maximum press efficiency, use the Full Sheet Digital Express Program.

Products: all stock constructions listed in this Digital Catalog qualify

- Papers & Films for Toner or HP Indigo printing
- Permanent, Removable (Ultra-Removable for films) and Cover-ups
- HP Indigo certified substrates
- Toner products successfully tested in several leading printers, including but not limited to: KODAK NEXPRESS, Xerox DocuColor and iGen Series, Canon and Konica Minolta

Sizes: 8 ½ x 11, 8 ½ x 14, 11 x 17, 12 x 18, 13 x 19 and 14 x 20 sheet sizes\*

Packaging: bulk packed in cartons

Order/Freight: Minimum: 1,000 sheets/ Maximum: 10,000 sheets\*

Leadtime: 2 - 5 days

\* Larger quantities and additional digital sizes are available but may have a longer leadtime

#### Technical Support ►

Questioning which construction works in your digital equipment? Not sure which product is recommended for the application? Need additional printing tips for a specific printer?

Spinnaker's **Technical Consulting** Group is ready to answer your questions...... call 877-210-5104 for assistance.





Customer Support: LindenmeyrMunroe.com Technical Support Phone: 877-210-5104

Performance Labe S4401A S4402• S4304 LLS4504 LLS4504 LLS4306 S4306BK S4306BK S4308 S4308 S4308 S4310BK S4310BK S4312 S4310BK S4312 S4310BK S4320 <sup>1</sup> LLS4330 <sup>2</sup> Circles S4106 S4106	0080649 0080102 0080104 0081235 0080268 0080270 0081236 0083535 NEW 0080111 0080309 0081237 0083536 NEW 0080265 0080115 0080116 0081238		nanent $8\frac{1}{2} \times 11$ $8\frac{1}{2} \times 5\frac{1}{2}$ $4 \times 5$ $31/2 \times 5\frac{1}{2}$ $4 \times 5$ $31/2 \times 5\frac{1}{2}$ $4 \times 5\frac{1}{2}$ $4 \times 3\frac{1}{3}$ $4 \times 3\frac{1}{3}$ $4 \times 2\frac{1}{2}$ $41/4 \times 2\frac{3}{4}$ $4 \times 2\frac{1}{2}$ $4 \times 1\frac{1}{3}$ $4 \times 1\frac{1}{3}$ $4 \times 1\frac{1}{2}$ $5/8 \times 1\frac{1}{2}$ $1\frac{3}{4} \times 1/2$	100 box 100 box 100 box 100 box 100 box 100 box 250 bag 100 box 100 box 100 box 250 bag 100 box 100 box 100 box 100 box 100 box 100 box 100 box	1000 1000 1000 1000 1000 1000 1000 100	5165™ 5168™ 5164™ 5164™ 5163™ 5163™ 5163™ 5162™ 5161™ 5160™ 5160™	Adhesive suitable for guillotine cutting An opaque sheet suitable for multiple digital print technologies, including laser, copier and ink jet; manufactured with an aggressive permanent adhesiv and 35# layflat liner. Opacity: 92 Brightness: 96 Caliper: 6.9 mil GSM: 159 All label products on this page(except S4401A) are manufactured with Adhesive-Free Edges, a unique manufacturing process by which the
S4402•           S4304           LLS4504           S4704           S4404•           LLS4306           S4306BK           S4308           S4408•           LLS4310           S4310BK           S4320 <sup>1</sup> LLS4330 <sup>2</sup> S4330BK <sup>2</sup> S4330BK <sup>2</sup> S4330B           S4380           S4380           S4380	0080102 0080104 0081235 0080268 0080270 0081236 0083535 NEW 0080111 0080309 0081237 0083536 NEW 0080265 0080115 0080116 0081238 2 0083534 NEW 0080310	2 4 4 6 6 8 8 10 10 12 14 20 30 30 50	$8 \frac{1}{2} \times 5 \frac{1}{2} \\ 4 \times 5 \\ 3 \frac{1}{2} \times 5 \\ 3 \times 5 \\ 4 \frac{1}{4} \times 5 \frac{1}{2} \\ 4 \times 3 \frac{1}{3} \\ 4 \times 3 \frac{1}{3} \\ 4 \times 2 \frac{1}{2} \\ 4 \frac{1}{4} \times 2 \frac{3}{4} \\ 4 \times 2 \\ 4 \times 2 \\ 2 \times 3 \\ 4 \times 1 \\ 2 \frac{5}{8} \times 1 \\ 2 \frac{5}{8} \times 1 \\ 1 \frac{1}{2} \times 1 \\ \end{array}$	100 box 100 box 100 box 100 box 100 box 250 bag 100 box 100 box 250 bag 100 box 250 bag 100 box 100 box 100 box 100 box 250 bag 100 box	1000 1000 1000 1000 1000 1000 1000 100	5168 <sup>™</sup> 5164 <sup>™</sup> 5164 <sup>™</sup> 5163 <sup>™</sup> 5163 <sup>™</sup> 5163 <sup>™</sup> 5162 <sup>™</sup> 5161 <sup>™</sup> 5160 <sup>™</sup>	An opaque sheet suitable for multiple digital print technologies, including laser, copier and ink jet; manufactured with an aggressive permanent adhesiv and 35# layflat liner. Opacity: 92 Brightness: 96 Caliper: 6.9 mil GSM: 159 All label products on this page(except S4401A) are manufactured with Adhesive-Free Edges, a unique
S4304           LLS4504           S4704           S4404•           LLS4306           S4306BK           S4308           S4408•           LLS4310           S4310BK           S4320 <sup>1</sup> LLS4330 <sup>2</sup> S4330BK <sup>2</sup> S4330BK <sup>2</sup> S4380           S4380           S4380	0080104 0081235 0080268 0080270 0081236 0083535 NEW 0080111 0080309 0081237 0083536 NEW 0080265 0080115 0080115 0080116 0081238 2 0083534 NEW 0080310	4 4 6 6 8 8 10 10 12 14 20 30 30 50	$\begin{array}{c} 4 \times 5 \\ 3 \ 1/2 \times 5 \\ 3 \times 5 \\ 4 \ 1/4 \times 5 \ 1/2 \\ 4 \times 3 \ 1/3 \\ 4 \times 3 \ 1/3 \\ 4 \times 2 \ 1/2 \\ 4 \ 1/4 \times 2 \ 3/4 \\ 4 \times 2 \\ 2 \times 3 \\ 4 \times 1 \\ 2 \ 5/8 \times 1 \\ 2 \ 5/8 \times 1 \\ 1 \ 1/2 \times 1 \end{array}$	100 box 100 box 100 box 100 box 250 bag 100 box 100 box 250 bag 100 box 250 bag 100 box 100 box 100 box 100 box 250 bag 100 box	1000 1000 1000 1000 1000 1000 1000 100	5164™ 5164™ 5163™ 5163™ 5163™ 5162™ 5161™ 5161™	digital print technologies, including laser, copier and ink jet; manufactured with an aggressive permanent adhesiv and 35# layflat liner. Opacity: 92 Brightness: 96 Caliper: 6.9 mil GSM: 159 All label products on this page(except S4401A) are manufactured with Adhesive-Free Edges, a unique
LLS4504 S4704 S4404● LLS4306 S4306BK S4308 S4408● LLS4310 S4310BK S4512 S4310BK S4512 S4314 S4320 <sup>1</sup> LLS4330 <sup>2</sup> S4330BK <sup>2</sup> S4330BK <sup>2</sup> S4330BK <sup>2</sup> S4380	0081235           0080268           0080270           0081236           0083535           0083535           0080270           0081236           0081237           0083536           0080265           0080115           0081238           2           0083534           0080310	4 4 6 8 8 10 10 12 14 20 30 30 50	$\begin{array}{c} 3 \ 1/2 \times 5 \\ 3 \times 5 \\ 4 \ 1/4 \times 5 \ 1/2 \\ 4 \times 3 \ 1/3 \\ 4 \times 3 \ 1/3 \\ 4 \times 2 \ 1/2 \\ 4 \ 1/4 \times 2 \ 3/4 \\ 4 \times 2 \\ 2 \times 3 \\ 4 \times 2 \\ 2 \times 3 \\ 4 \times 1 \ 1/3 \\ 4 \times 1 \\ 2 \ 5/8 \times 1 \\ 2 \ 5/8 \times 1 \\ 1 \ 1/2 \times 1 \end{array}$	100 box 100 box 100 box 250 bag 100 box 100 box 100 box 250 bag 100 box 100 box 100 box 100 box 250 bag 100 box	1000 1000 1000 1000 1000 1000 1000 100	5164™ 5164™ 5163™ 5163™ 5163™ 5162™ 5161™ 5161™	laser, copier and ink jet; manufactured with an aggressive permanent adhesiv and 35# layflat liner. Opacity: 92 Brightness: 96 Caliper: 6.9 mil GSM: 159 All label products on this page(except S4401A) are manufactured with Adhesive-Free Edges, a unique
S4704 S4404• LLS4306 S4306BK S4308 S4408• LLS4310 S4310BK S4310BK S4314 S4320 <sup>1</sup> LLS4330 <sup>2</sup> S4330BK S4330BK S4330BK S4380	0080268 0080270 0081236 0083535 NEW 0080111 0080309 0081237 0083536 NEW 0080265 0080115 0080115 0080116 0081238 2 0083534 NEW 0080310	4 6 8 8 10 10 12 14 20 30 30 50	$3 \times 5$ $4 \ 1/4 \times 5 \ 1/2$ $4 \times 3 \ 1/3$ $4 \times 3 \ 1/3$ $4 \times 2 \ 1/2$ $4 \ 1/4 \times 2 \ 3/4$ $4 \times 2$ $4 \times 2$ $2 \times 3$ $4 \times 1 \ 1/3$ $4 \times 1$ $2 \ 5/8 \times 1$ $2 \ 5/8 \times 1$ $1 \ 1/2 \times 1$	100 box 100 box 250 bag 100 box 100 box 100 box 250 bag 100 box 100 box 100 box 100 box 250 bag 100 box	1000 1000 1000 1000 1000 1000 1000 100	5164™ 5164™ 5163™ 5163™ 5163™ 5162™ 5161™ 5161™	with an aggressive permanent adhesiv and 35# layflat liner. Opacity: 92 Brightness: 96 Caliper: 6.9 mil GSM: 159 All label products on this page(except S4401A) are manufactured with Adhesive-Free Edges, a unique
S4404• LLS4306 S4306BK S4308 S4408• LLS4310 S4310BK S4512 S4310BK S4512 S4314 S4320 <sup>1</sup> LLS4330 <sup>2</sup> S4330BK S4350 S4380 S4380	0080270 0081236 0083535 NEW 0080111 0080309 0081237 0083536 NEW 0080265 0080115 0080115 0080116 0081238 2 0083534 NEW 0080310	4 6 8 10 10 12 14 20 30 30 50	$\begin{array}{c} 4 \ 1/4 \ x \ 5 \ 1/2 \\ 4 \ x \ 3 \ 1/3 \\ 4 \ x \ 3 \ 1/3 \\ 4 \ x \ 3 \ 1/3 \\ 4 \ x \ 2 \ 1/2 \\ 4 \ 1/4 \ x \ 2 \ 3/4 \\ 4 \ x \ 2 \\ 2 \ x \ 3 \\ 4 \ x \ 2 \\ 2 \ x \ 3 \\ 4 \ x \ 1 \\ 2 \ 5/8 \ x \ 1 \\ 2 \ 5/8 \ x \ 1 \\ 2 \ 5/8 \ x \ 1 \\ 1 \ 1/2 \ x \ 1 \end{array}$	100 box 100 box 250 bag 100 box 100 box 250 bag 100 box 100 box 100 box 100 box 250 bag 100 box	1000 1000 1000 1000 1000 1000 1000 100	5164™ 5163™ 5163™ 5162™ 5161™ 5161™ 5160™	and 35# layflat liner. Opacity: 92 Brightness: 96 Caliper: 6.9 mil GSM: 159 All label products on this page(except S4401A) are manufactured with Adhesive-Free Edges, a unique
LLS4306 S4306BK S4308 S4408● LLS4310 S4310BK S4310BK S4310 LLS4330 <sup>2</sup> S4330BK <sup>2</sup> S4330BK <sup>2</sup> S4330BK <sup>2</sup> S4330BK <sup>2</sup> S4330BK <sup>2</sup> S4330BK <sup>2</sup> S4350 S4380	0081236           0083535         NEW           0080111         0080309           0081237         0083536           0080265         0080115           0080115         0080116           0081238         2           0083534         NEW           0080310         0080310	6 8 8 10 10 12 14 20 30 30 30 50	$\begin{array}{c} 4 \times 3 \ 1/3 \\ 4 \times 3 \ 1/3 \\ 4 \times 2 \ 1/2 \\ 4 \ 1/4 \times 2 \ 3/4 \\ 4 \times 2 \\ 4 \times 2 \\ 2 \times 3 \\ 4 \times 1 \\ 2 \ 5/8 \times 1 \\ 2 \ 5/8 \times 1 \\ 2 \ 5/8 \times 1 \\ 1 \ 1/2 \times 1 \end{array}$	100 box 250 bag 100 box 100 box 250 bag 100 box 100 box 100 box 250 bag 100 box	1000 1000 1000 1000 1000 1000 1000 100	5164™ 5163™ 5163™ 5162™ 5161™ 5161™ 5160™	Brightness: 96 Caliper: 6.9 mil GSM: 159 All label products on this page(except S4401A) are manufactured with Adhesive-Free Edges, a unique
S4306BK S4308 S4408● LLS4310 S4310BK S4512 S4314 S4320 <sup>1</sup> LLS4330 <sup>2</sup> S4330BK <sup>2</sup> S4330BK <sup>2</sup> S4330BK <sup>2</sup> S4380	0083535 NEW 0080111 0080309 0081237 0083536 NEW 0080265 0080115 0080116 0081238 2 0083534 NEW 0080310	6 8 10 10 12 14 20 30 30 30 50	$\begin{array}{c} 4 \times 3 \ 1/3 \\ 4 \times 2 \ 1/2 \\ 4 \ 1/4 \times 2 \ 3/4 \\ 4 \times 2 \\ 4 \times 2 \\ 2 \times 3 \\ 4 \times 1 \ 1/3 \\ 4 \times 1 \\ 2 \ 5/8 \times 1 \\ 2 \ 5/8 \times 1 \\ 1 \ 1/2 \times 1 \end{array}$	250 bag 100 box 100 box 250 bag 100 box 100 box 100 box 250 bag 100 box	1000 1000 1000 1000 1000 1000 1000 100	5164™ 5163™ 5163™ 5162™ 5161™ 5161™ 5160™	Brightness: 96 Caliper: 6.9 mil GSM: 159 All label products on this page(except S4401A) are manufactured with Adhesive-Free Edges, a unique
S4308 S4408• LLS4310 S4310BK S4512 S4314 S4320 <sup>1</sup> LLS4330 <sup>2</sup> S4330BK S4350 S4380	0080111 0080309 0081237 0083536 NEW 0080265 0080115 0080116 0081238 2 0083534 NEW 0080310	8 8 10 10 12 14 20 30 30 30 50	4 x 2 1/2 $4 1/4 x 2 3/4$ $4 x 2$ $4 x 2$ $2 x 3$ $4 x 1 1/3$ $4 x 1$ $2 5/8 x 1$ $2 5/8 x 1$ $1 1/2 x 1$	100 box 100 box 250 bag 100 box 100 box 100 box 100 box 250 bag 100 box	1000 1000 1000 1000 1000 1000 1000 100	5163™ 5163™ 5162™ 5161™ 5161™	Brightness: 96 Caliper: 6.9 mil GSM: 159 All label products on this page(except S4401A) are manufactured with Adhesive-Free Edges, a unique
S4408• LLS4310 S4310BK S4512 S4314 S4320 <sup>1</sup> LLS4330 <sup>2</sup> S4330BK S4350 S4350 S4380 Circles S4106	0080309 0081237 0083536 NEW 0080265 0080115 0080116 0081238 2 0083534 NEW 0080310	8 10 12 14 20 30 30 50	4 1/4 x 2 3/4 4 x 2 4 x 2 2 x 3 4 x 1 1/3 4 x 1 2 5/8 x 1 2 5/8 x 1 1 1/2 x 1	100 box 100 box 250 bag 100 box 100 box 100 box 250 bag 100 box	1000 1000 1000 1000 1000 1000 1000	5163™ 5162™ 5161™ 5160™	Brightness: 96 Caliper: 6.9 mil GSM: 159 All label products on this page(except S4401A) are manufactured with Adhesive-Free Edges, a unique
LLS4310 S4310BK S4512 S4314 S4320 <sup>1</sup> LLS4330 <sup>2</sup> S4330BK <sup>2</sup> S4350 S4350 S4380	0081237 0083536 NEW 0080265 0080115 0080116 0081238 2 0083534 NEW 0080310	10 10 12 14 20 30 30 50	4 x 2 4 x 2 2 x 3 4 x 1 1/3 4 x 1 2 5/8 x 1 2 5/8 x 1 1 1/2 x 1	100 box 250 bag 100 box 100 box 100 box 250 bag 100 box	1000 1000 1000 1000 1000 1000	5163™ 5162™ 5161™ 5160™	Caliper: 6.9 mil GSM: 159 All label products on this page(except S4401A) are manufactured with Adhesive-Free Edges, a unique
S4310BK S4512 S4314 S4320 <sup>1</sup> LLS4330 <sup>2</sup> S4330BK S4350 S4380 Circles S4106	0083536 NEW 0080265 0080115 0080116 0081238 2 0083534 NEW 0080310	10 12 14 20 30 30 50	4 x 2 2 x 3 4 x 1 1/3 4 x 1 2 5/8 x 1 2 5/8 x 1 1 1/2 x 1	250 bag 100 box 100 box 100 box 100 box 250 bag 100 box	1000 1000 1000 1000 1000 1000	5163™ 5162™ 5161™ 5160™	GSM: 159 All label products on this page(except S4401A) are manufactured with Adhesive-Free Edges, a unique
S4512 S4314 S4320 <sup>1</sup> LLS4330 <sup>2</sup> S4330BK S4350 S4380 Circles S4106	0080265 0080115 0080116 0081238 2 0083534 NEW 0080310	12 14 20 30 30 50	2 x 3 4 x 1 1/3 4 x 1 2 5/8 x 1 2 5/8 x 1 1 1/2 x 1	100 box 100 box 100 box 100 box 250 bag 100 box	1000 1000 1000 1000 1000	5162™ 5161™ 5160™	All label products on this page(except S4401A) are manufactured with Adhesive-Free Edges, a unique
S4314 S4320 <sup>1</sup> LLS4330 <sup>2</sup> S4330BK S4350 S4380 Circles S4106	0080115 0080116 0081238 2 0083534 NEW 0080310	14 20 30 30 50	4 x 1 1/3 4 x 1 2 5/8 x 1 2 5/8 x 1 1 1/2 x 1	100 box 100 box 100 box 250 bag 100 box	1000 1000 1000 1000	5161™ 5160™	S4401A) are manufactured with Adhesive-Free Edges, a unique
S4320 <sup>1</sup> LLS4330 <sup>2</sup> S4330BK S4350 S4380 Circles S4106	0080116 0081238 2 0083534 NEW 0080310	20 30 30 50	4 x 1 2 5/8 x 1 2 5/8 x 1 1 1/2 x 1	100 box 100 box 250 bag 100 box	1000 1000 1000	5161™ 5160™	S4401A) are manufactured with Adhesive-Free Edges, a unique
LLS4330 <sup>2</sup> S4330BK S4350 S4380 Circles S4106	0081238 2 0083534 NEW 0080310	30 30 50	2 5/8 x 1 2 5/8 x 1 1 1/2 x 1	100 box 250 bag 100 box	1000 1000	5160™	S4401A) are manufactured with Adhesive-Free Edges, a unique
S4330BK S4350 S4380 Circles S4106	<sup>2</sup> 0083534 NEW 0080310	30 50	2 5/8 x 1 1 1/2 x 1	250 bag 100 box	1000		S4401A) are manufactured with Adhesive-Free Edges, a unique
S4350 S4380 Circles S4106	0080310	50	1 1/2 x 1	100 box		5160™	Adhesive-Free Edges, a unique
S4380 Circles S4106					1000		
Circles S4106	0080122	80	$1 \frac{3}{4} \times \frac{1}{2}$				
S4106			1014 × 172	100 box	1000	5167™	outer 1/16" edge of the 8 1/2 x 11 she is adhesive-free. This virtually eliminates the risk of adhesive ooze a contamination in digital equipment.
0.404.0	0080271	6	3 1/3 Circles	100 box	1000		
S4012	0080218	12	2 1/2 Circles	100 box	1000	5294™	Adhestve
S4420	0080345	20	2 Circles	100 box	1000		No Adhestve
S4024	0080273	24	1 2/3 Circles	100 box	1000	5293™	
S4030	0080274	30	1 1/2 Circles	100 box	1000		
S4063	0082775	63	1 Circles	100 box	1000		
S4120	0080755	120	3/4 Circles	100 box	1000		
D/DVD Labels							
S4602	0080123	2	4 5/8 CD/DVD	100 box	1000		

<sup>1</sup>Indicates 1 vertical perf <sup>2</sup> Indicates 2 vertical perfs • Indicates butt cut layout

denotes Lindenmeyr Label branded items

#### All Mill ordered (Spinnaker brand) 100 sheet box items on this page are sold in individual box increments

Templates available at www.spinps.com






Customer Support: LindenmeyrMunroe.com Technical Support Phone: 877-210-5104

Lindenmeyr Spinna Label # Stock Auto Window S S4801	# s <sub>p</sub> ™/ Rem yital Vi se Di ker # sp ticker	0083455 0083456 0083456 nyl/ Ultra-R 0083454 e Cut La	6 20 Removable 12 6 bels - Spe	Image: label size         3 1/3 Circles         2 Circles         2 x 18         5 1/2 Circles         Socialty Product         Image: label size         ner die cut 8½ x 1         8 x 10	inner carton packaging	sheets per carton 1000 1000 200 200 sheets per carton 1000	Avery <sup>®</sup> ref for templates only	features         A premium, C1S matte paper featuring superior smudge resistance, high brightness & opacity suitable for laser/dry toner and HP Indigo print technologies         Brightness: 89       Opacity: 91         Caliper: 8.1 mil       GSM: 213         A 3.4 mil topcoated vinyl engineered for HP Indigo, production toner presses & high-speed and mid-range laser printers. Not recommended for desktor printers.         Caliper: 8.8 mil       GSM: 270         features
60# Ultra Matte Matte White Dig Multi-Purpos Lindenmeyr Spinna Label # Spinna Stack Auto Window S S4801	™/ Rem yital Vi se Di ker # Si ticker	0083455 0083456 0083456 nyl/ Ultra-R 0083454 e Cut La	e x 11 6 20 Removable 12 6 bels - Spe labels per sheet coated with lin	3 1/3 Circles 2 Circles 2 x 18 5 1/2 Circles ecialty Product label size ner die cut 81/2 x 1	100 box 100 box 100 wrap 100 wrap S ► inner carton packaging 1	1000 1000 200 sheets per carton	Avery <sup>®</sup> ref for templates	A premium, C1S matte paper featuring superior smudge resistance, high brightness & opacity suitable for laser/ dry toner and HP Indigo print technologies Brightness: 89 Opacity: 91 Caliper: 8.1 mil GSM: 213 A 3.4 mil topcoated vinyl engineered for HP Indigo, production toner presses & high-speed and mid-range laser printers. Not recommended for deskto printers. Caliper: 8.8 mil GSM: 270 features This facestock is part of a constructior in which the liner is printed, picture
Matte White Dig Multi-Purpos indenmeyr Spinna Label # Stock Auto Window S S4801	yital Vi Se Di <sup>ker</sup> si ticker	0083455 0083456 nyl/ Ultra-R 0083454 e Cut La	6 20 Removable 12 6 bels - Spe labels per sheet coated with lin	2 Circles 2 x 18 5 1/2 Circles ecialty Product label size ner die cut 81/2 x 1	100 box 100 wrap 100 wrap tS ► inner carton packaging 1	1000 200 sheets per carton	ref for templates	superior smudge resistance, high brightness & opacity suitable for laser/ dry toner and HP Indigo print technologies Brightness: 89 Opacity: 91 Caliper: 8.1 mil GSM: 213 A 3.4 mil topcoated vinyl engineered for HP Indigo, production toner presses & high-speed and mid-range laser printers. Not recommended for deskto printers. Caliper: 8.8 mil GSM: 270 features
Multi-Purpos indenmeyr Spinna Label # stock Auto Window S S4801	se Di <sup>iker</sup> sr	0083456 nyl/ Ultra-R 0083454 e Cut La pinnaker mfg # — 50# Unc	20 Removable 12 6 bels - Spe labels per sheet coated with lin	2 Circles 2 x 18 5 1/2 Circles ecialty Product label size ner die cut 81/2 x 1	100 box 100 wrap 100 wrap tS ► inner carton packaging 1	1000 200 sheets per carton	ref for templates	superior smudge resistance, high brightness & opacity suitable for laser/ dry toner and HP Indigo print technologies Brightness: 89 Opacity: 91 Caliper: 8.1 mil GSM: 213 A 3.4 mil topcoated vinyl engineered for HP Indigo, production toner presses & high-speed and mid-range laser printers. Not recommended for deskto printers. Caliper: 8.8 mil GSM: 270 features This facestock is part of a constructior in which the liner is printed, picture
Viulti-Purpos indenmeyr Spinna Label # stock Auto Window S S4801 Name Badge —	se Di <sup>iker</sup> sr	0083454 e Cut La <sup>binnaker mfg #</sup> — 50# Unc	6 bels - Spe labels per sheet coated with lin	5 1/2 Circles ecialty Product label size ner die cut 81/2 x 1	inner carton packaging 1	sheets per carton	ref for templates	Caliper: 8.1 mil GSM: 213 A 3.4 mil topcoated vinyl engineered for HP Indigo, production toner presses & high-speed and mid-range laser printers. Not recommended for deskto printers. Caliper: 8.8 mil GSM: 270 features This facestock is part of a construction in which the liner is printed, picture
Multi-Purpos indenmeyr Spinna Label # stock Auto Window S S4801	se Di <sup>iker</sup> sr	0083454 e Cut La <sup>binnaker mfg #</sup> — 50# Unc	6 bels - Spe labels per sheet coated with lin	5 1/2 Circles ecialty Product label size ner die cut 81/2 x 1	inner carton packaging 1	sheets per carton	ref for templates	HP Indigo, production toner presses & high-speed and mid-range laser printers. Not recommended for deskto printers. Caliper: 8.8 mil GSM: 270 features This facestock is part of a construction in which the liner is printed, picture
indenmeyr Spinna Label # Stock Auto Window S S4801	iker # Sp Sticker	e Cut La <sup>binnaker mfg #</sup> — 50# Unc	bels - Spe labels per sheet coated with lin	ecialty Product	inner carton packaging 1	sheets per carton	ref for templates	HP Indigo, production toner presses & high-speed and mid-range laser printers. Not recommended for deskto printers. Caliper: 8.8 mil GSM: 270 features This facestock is part of a construction in which the liner is printed, picture
Lindenmeyr Spinna Label # stock Auto Window S S4801	iker # Sp Sticker	oinnaker mfg # — 50# Unc	labels per sheet	label size ner die cut 8½ x 1	inner carton packaging 1	carton	ref for templates	features This facestock is part of a construction in which the liner is printed, picture
Lindenmeyr Spinna Label # Stock Auto Window S S4801	iker # Sp Sticker	oinnaker mfg # — 50# Unc	labels per sheet	label size ner die cut 8½ x 1	inner carton packaging 1	carton	ref for templates	This facestock is part of a construction in which the liner is printed, picture
Label # stock Auto Window S S4801	# Sp Sticker	— 50# Unc	oated with li	ner die cut 8½ x 1	packaging 1	carton	ref for templates	This facestock is part of a construction in which the liner is printed, picture
Label # stock Auto Window S S4801	# Sp Sticker	— 50# Unc	oated with li	ner die cut 8½ x 1	packaging 1	carton		This facestock is part of a construction in which the liner is printed, picture
S4801 Name Badge —						1000		in which the liner is printed, picture
Name Badge —	RC	0080539	1	8 x 10	100 box	1000		in which the liner is printed, picture
								applied to the inside of an auto window The face becomes a carrier in this application and is typically not printed. However, this stock is a bright white, uncoated paper suitable for production toner, laser printers/copiers.
								Caliper: 7.4 mil GSM: 171
								This bright white upper to deheat is
S4508	88	0080349	8	3 3/8 x 2 1/3	100 box	1000	5395™	This bright white uncoated sheet is suitable for a wide variety of digital prin technologies, including laser and ink je suitable for short-term name badge applications
								Brightness: 93 Opacity: 88
)oor Seals 6	0# LIIti	a Matte™ /	Removable	adhesive 12 x 18				Caliper: 6.6 mil GSM: 152
	on On	0083439	10	5 1/2 x 3	100 wrap	200		Matte facestock which is part of a unique construction that will adhere to the door when closed and tear easily when the door is opened while still removing after the guest enters the room. The construction will print on offset, dry toner and HP Indigo presse
								Brightness: 89 Opacity: 91

#### All 8 1/2 x 11 items on this page are sold in individual box increments Templates available at www.spinps.com





### **Premium Pressure Sensitive Sheets**

Customer Support: LindenmeyrMunroe.com Technical Support Phone: 877-210-5104

## Adhesive-free Edge Die-cut Custom Capabilities for 8<sup>1</sup>/<sub>2</sub> x 11 Sheet Size

#### Facestocks

96 Bright White Uncoated Laser Gloss - High gloss finish Fluorescents - Red, Green, Orange, Chartreuse and Pink Astrobrights<sup>®</sup> - Stock colors; contact Customer Support for color availability Natural Cream Ultra Matte<sup>™</sup> Litho

#### **Order & Freight Minimum**

Quantity: 1,000 sheets

#### **Custom Lead-times**

3 -10 business days after die approval based on quantity & die availability

#### Custom Packaging

Bulk carton packed: 250 sheets per bag/ 1,000 sheets per carton

## **Custom Capabilities for Digital Sizes**

#### Constructions

Stocks for production toner, laser printers or HP Indigo digital presses Papers from high gloss to offset finishes Films including white & clear vinyls and 7 mil Teslin® Permanent, removable, ultra-removable & cover-up products All stocking constructions in this catalog are available

#### Sizes Available Include

81/2 x 11, 81/2 x 14, 11 x 17, 12 x 18, 13 x 19 and 14 x 20

#### **Order & Freight Minimum**

As low as 1,000 sheets, depending on construction

#### **Custom Lead-times**

3 -10 business days after die approval

#### **Custom Packaging**

Bulk carton packed

#### **All Custom Die-cut Labels**

#### No Die-charge

Will not receive a separate die charge

#### Perforations

Face and/or liner perforations available

#### Assistance

Spinnaker Coating can easily create custom die patterns - contact Customer Support for additional information





#### **Premium Pressure Sensitive Sheets** Customer Support: LindenmeyrMunroe.com Technical Support Phone: 877-210-5104

## Die Cut Laser Label Tips and Guidelines

#### Label Formatting

Follow printer software guidelines for formatting label data. See Spinnaker's website at www.spinps.com for label templates. Labels are also compatible with Avery Label Pro and other popular software. For cross reference, select the layout code that corresponds with the Spinnaker label. If no label is found, use the Spinnaker measurements to create a new label.

#### Fanning

Select the desired number of label sheets and gently fan the edges to reduce static electricity. If curl is evident, manually bend and flatten the sheets before loading.

#### Loading and Printing

Consult the owner's manual to determine the proper placement of labels in the feed tray. It is acceptable to place the labels directly on top of the paper that may be in the tray. Do not exceed the recommended number of sheets. For best toner anchorage and processing, ensure printer settings reflect proper weight. Proceed to make copies as if printing paper. Reference GSM for printer settings.

#### Caring for unused labels

Place any unused sheets from the paper tray into the protective plastic bag and store in a cool, dry environment.

#### Cautions

Do not run label stock through the printer twice. Should a jam appear, locate the jammed sheet and remove it before restarting the printer. Products made with Advantedge Technology<sup>®</sup> adhesive are not recommended for guillotine applications.



#### Brought to you by Lindenmeyr Munroe

### **Premium Pressure Sensitive Sheets**

Customer Support: LindenmeyrMunroe.com Technical Support Phone: 877-210-5104

denmeyr	Avery	Spinnaker	abels 8½ x				inner carton	
_abel #	stock #	System #	labels per sheet	label size	adhesive	carton wt	pkg	packs per carton/ sheets per cartor
hite Eas	y Peel <sup>®</sup> La	aser Labels	(Uncoated)					
	5160	0080702	30	1 x 2 5/8	Permanent	13#	100	5 packs/ 500 sheets
nite Ship	oping Lab	els w/TrueE	Block <sup>®</sup> (Uncoat	ed)				
	5168	0080705	4	5 x 3 1/2	Permanent	13#	100	5 packs/ 500 sheets
	5164	0080700	6	3 1/3 x 4	Permanent	13#	100	5 packs/ 500 sheets
	5163	0080703	10	2 x 4	Permanent	13#	100	5 packs/ 500 sheets
ite Flex	tible Nam 5395	e Badges ( 0080704	Uncoated) 8	2 1/3 x 3 3/8	Badge	5#	50	5 packs/ 250 sheets
me Bad	ae Insert:	s Microperfé	ed (Uncoated)					
	5392	0080701	6	3 x 4	Non PS	5#	50	5 packs/ 250 sheets

#### Minimum Order

Inner packs of 100 are sold by the box Inner packs of 25 or 50 are sold in full carton increments